

## Poem

### Ode to *Bolshecapnia*

I beat over the sheet, and over the snow,  
O *Bolshecapnia*, where do you go?

I beat up high and way down low,  
O *Bolshecapnia*, where do you go?

I search in the trees, and look on the ground,  
O *Bolshecapnia*, you're not to be found

I scan the snow, as I slip and slide,  
O *Bolshecapnia*, where do you hide?

Through the stream and brush I stumble,  
O *Bolshecapnia*, you make me so humble

Am I too early, or am I too late?  
O *Bolshecapnia*, you are so great

I try once more under rocks and leaves,  
but alas, only *Zapada cinctipes*

I leave this place in great despair,  
never to collect again, I swear.

Then suddenly I feel alive  
for the great *Isocapnia* will soon arrive.

R. Durfee, 2008

#### **RECENT PLECOPTERA LITERATURE (CALENDAR YEAR 2008 AND**

**EARLIER)**. Papers made available after 1 February 2009 will be included in the next issue. **If papers were missed, please bring these to the attention of the Managing Editor.** Dr. Peter Zwick is thanked for providing additions to this present list.

Albariño R, Villanueva VD, and Canhoto, C. 2008. The effect of sunlight on leaf litter quality reduces growth of the shredder *Klapopteryx kuscheli*. Freshwat. Biol. 53: 1881-1889.

Alibozek J and Ganger, M. 2008. Temporal changes in stream insect abundances in northwestern Massachusetts. J Freshwat. Ecol. 23: 673-676.

- Angelibert S, Indermuehle N, Luchier D, Oertli B and Perfetta, J. Where hides the aquatic biodiversity of macroinvertebrates in the Canton of Geneva (Switzerland)? Arch Sci. 59: 225-234.
- Antons C, Kaschek N and Meyer, EI. 2008. Effizienzkontrolle erfolgter Maßnahmen an einem renaturierten Bach im Nordostdeutschen Tiefland unter Berücksichtigung der benthischen Besiedlung und der Belange von ausgewählten FFH-Arten / Efficiency control of measures taken on a renaturated stream in the north-east German lowland, considering benthic colonization and requirements of selected FFH [= Fauna, Flora, Habitat] -species. Deutsche Gesellschaft für Limnologie (DGL), Erweiterte Zusammenfassungen der Jahrestagung 2007 (Münster), Werder 2008: 368-372.
- Banks JL, Li J, and Herlihy, AT. 2007. Influence of clearcut logging, flow duration, and season on emergent aquatic insects in headwater streams of the central Oregon Coast Range. J. N. Am Benthol Soc. 26: 620-632.
- Baumann RW and Kondratieff, BC. 2008. A review of the western North American genus *Triznaka* (Plecoptera: Chloroperlidae) with a new species from the Great Basin, U.S.A. Proc Entomol Soc Wash 110: 345-362.
- Baumann RW and Kondratieff, BC. 2008. The *Alloperla severa* complex (Plecoptera: Chloroperlidae) of western North America. Illiesia 4: 66-75.
- Biggs J, Williams P, Whitfield M, Nicolet P, Brown C, Hollis J, Arnold D, and Pepper T. 2007. The freshwater biota of British agricultural landscapes and their sensitivity to pesticides. Agric Ecosyst Environ 122: 137-148.
- Bilton DT, McAbendroth L, Bedford A and Ramsay, PM. 2006. How wide to cast the net? Cross-taxon congruence of species richness, community similarity and indicator taxa in ponds. Freshwat Biol 51: 578-590.
- Bispo PC and Froehlich CG. 2008. Description of the larva and redescription of the adult of *Kempnyia neotropica* Jacobsen and Bianchi (Plecoptera: Perlidae) with biological notes. Aquat Insects 30: 61-67.
- Blocksom KA, Autrey BC, Passmore M, Reynolds, L. 2008. A comparison of single and multiple habitat protocols for collecting macroinvertebrates in wadeable streams. J. Amer Wat Res Assoc 44: 577-593.
- Blocksom KA and Flotemersch JE. 2008. Field and laboratory performance characteristics of a new protocol for sampling riverine macroinvertebrate assemblages, River Res Appl 24: 373-387.
- Bo T, Fenoglio S, López-Rodríguez MJ, and Tierno De Figueroa, JM. 2008. Trophic behavior of two Perlidae species (Insecta, Plecoptera) in a river in southern Spain. Intern. Rev. Hydrobiol. 93: 167-174.
- Bona F, Falasco E, Fenoglio S, Iorio, L. and Badino, G. 2008. Response of macroinvertebrate and diatom communities to human-induced physical alteration in mountain streams. River Res. Appl. 24: 1068-1081.
- Buchwalter DB, Cain, DJ, Martin, CA, Xie L, Luoma, SN, and Garland T, Jr. 2008. Aquatic insect ecophysiological traits reveal phylogenetically based differences in dissolved cadmium susceptibility. Proc Natl Acad Sci USA 105:8321-8326.
- Burles DW, Brigham M, Ring RA, and Reimchen TE. 2008. Diet of two insectivorous bats, *Myotis lucifugus* and *Myotis keenii*, in relation to arthropd abundance in a temperate Pacific Northwest rainforest environment. Can J Zool 86: 1367-1375.

- Callanan M, Baars J, and Kelly-Quinn, M. 2008. Critical influence of seasonal sampling on the ecological quality assessment of small headwater streams. *Hydrobiol.* 610: 245-55.
- Cammarata M, Fenoglio, S, López-Rodríguez MJ, Bo T and Tierno de Figueroa, JM. 2007. Prey selection of *Perla grandis* (Rambur, 1841) nymphs (Plecoptera: Perlidae) in Borbera stream (NW, Italy). *Bol Soc Entomol Aragonesa* 41: 271-274.
- Cao TKT and Bae, YJ. 2007. *Chinoperla rhododendrona*, a new species of Perlidae (Insecta: Plecoptera) from Vietnam. *Integrat Biosci* 11: 125-128.
- Chakona A and Marshall, B. 2008. A preliminary assessment of the impact of forest conversion from natural to pine plantation on macroinvertebrate communities in two mountain streams in Zimbabwe. *African J Aquat Sci.* 33: 115-124.
- Cary SJ and Jacobi, GZ. 2008. Zoogeographic affinities of southwestern USA Plecoptera. Pp. 133-157. *In* International advances in the ecology, zoogeography, and systematics of mayflies and stoneflies. Hauer FR, Stanford, JA and Newell, RL (editors). Univ. California Publ. Entomol. 128. 412 pp
- Chaves ML, Rieradevall M, Chainho P, Costa JL, Costa MJ, and Prat, N. 2008. Macroinvertebrate communities of non-glacial high altitude intermittent streams. *Freshwat Biol* 53: 55-76.
- Cherchesova SK. And Zhiltzova, LA. 2006. [Identification tables of the stoneflies (Plecoptera) of the Caucasus]. Russian State Agrarian University named after K. A. Chetagurov (ed.), Moscow; in Russian.
- Cifuentes-Ruiz P, Vega FJ, Cevallos-Ferriz SRS, González-Soriano E, and Zaragoza-Garibay-Romero, L. 2007. Oligocene scorpion and insects (Plecoptera and Coleoptera) from the Los Ahuehuetes locality, Puebla, Mexico. *Ameghiniana* 44: 673-679.
- Clayton JA and Westbrook, CJ. 2008. The effect of the grand ditch on the abundance of benthic invertebrates in the Colorado River, Rocky Mountain National Park. *River Res Appl* 24: 975-987.
- Clements WH, Brook ML, Kashian D and Zuellig RE. 2008. Changes in dissolved organic material determine exposure of stream benthic communities to UV-B radiation and heavy metals: implications for climate change. *Global Change Biol* 14: 2201-2214.
- Collier KJ. 2008. Temporal patterns in the stability, persistence and condition of stream macroinvertebrate communities: Relationships with catchment land-use and regional climate. *Freshwat Biol* 53: 603-616.
- Cressa C, Maldonado V, Segnini S, and Chacon, MM. 2008. Size variation with elevation in adults and larvae of some Venezuelan stoneflies (Insecta: Plecoptera: Perlidae). *Aquat Insects* 30: 127-134.
- Cucherousset J, Santoula, F, Fiquerola, J, and Cereghino, R. 2008. How do biodiversity patterns of river animals emerge from the distributions of common and rare species? *Biol Conserv.* 141: 2984-2992.
- Dallas H. 2008 Water temperature and riverine ecosystems: An overview of knowledge and approaches of assessing biotic responses, with special reference to South Africa. *Water S Africa* 34: 393-404.

- DeWalt E, Cao Y, Tweddale T, and Hinz, L. 2008. Modeling of stonefly historical distributions using museum specimens. *Illinois Nat Hist Surv Rep* 397: 5.
- Doi H, Chang K, Ando T, Imai H, Nakano S, Kajimoto A, and Katano I. 2008. Drifting plankton from a reservoir subsidize downstream food webs and alter community structure. *Oecologia* 156: 363-371.
- Dorfer W. 2008. Erstnachweis von *Isoptena serricornis* (Plecoptera, Chloroperlidae) in Bayern /First record of *Isoptena serricornis* (Plecoptera, Chloroperlidae) in Bavaria/. *Lauterbornia* 62: 53-55.
- Du R, Wang Q, Zhang Z, and Wang M. 2008. The correlation between EPT community distribution and environmental factors. *Acta Entomol Sin* 51: 336-341.
- Du Y. 2007. A new species of the genus *Tyloperla* (Plecoptera: Perlidae) from China. *Entomotaxonomia* 29: 241-243.
- Du Y, Zhou P, and Wang Z. 2008. Four new species of the genus *Nemoura* (Plecoptera: Nemouridae) from China. *Entomol News* 119: 67-76.
- Earle JI and Stewart, KW. 2008. Description of the nymph of *Strophopteryx appalachia* Ross and Ricker (Plecoptera: Taeniopterygidae), and key to *Strophopteryx* nymphs. *Proc Entomol Soc Wash* 110: 551-555.
- Fenoglio S. 2007. Stoneflies (Plecoptera: Perlidae) of Nicaragua. *Caribbean J. Sci.* 43: 220-225.
- Fenoglio S, Bo T, Tierno de Figueroa, JM, López-Rodríguez MJ and Malacarne, G. 2008. A comparison between local emergence patterns of *Perla grandis* and *Perla marginata* (Plecoptera: Perlidae). *Hydrobiol.* 607: 11-16.
- Fettig CJ, Munson AS, McKelvey SR, Bush PB, and Borys, RR. 2008. Spray deposition from ground-based applications of carbaryl to protect individual trees from bark beetle attack. *J Environ Qual.* 37: 1170-1179.
- Finn DS and Poff, NL. 2008. Emergence and flight activity of alpine stream insects in two years with contrasting winter snowpack. *Arctic Antarctic Alpine Res.* 40: 638-646.
- Fjellheim A and Raddum, GG. 2008. Growth and voltinism in the aquatic insects of a regulated river subject to groundwater inflows. *River Res. and Appl.* 24: 710-719.
- Fochetti R and Argano, R. 2006. Pattern of benthic invertebrate assemblages in rivers of Central Italy. *Italian J Zool.* 73: 145-151.
- Fochetti R, Tierno de Figueroa, JM. 2006. Notes on diversity and conservation of the European fauna of Plecoptera. *J Nat Hist* 40: 2361-2369.
- Fochetti R and Tierno de Figueroa, JM. 2008. Global diversity of stoneflies (Plecoptera: Insecta) in freshwater. *Hydrobiol* 595: 365-377.
- Fochetti R, Argano, R and Tierno de Figueroa, JM. 2008. Feeding ecology of various age-classes of brown trout in River Nera, Central Italy. *Belgian J Zool* 138: 128-131.
- Fochetti R, Sezzi E, Tierno de Figueroa, JM, Modica M, and Oliverio M. 2008. Molecular systematics and biogeography of the western Mediterranean stonefly genus *Tyrrhenoleuctra* (Plecoptera, Insecta). *J Zool Syst Evol Res.* 46.
- Fontaine B., Bouchet, P, Van Achterberg, K,. 2007. The European Union's 2010 target: Putting rare species in focus. *Biol Conserv* 139: 167-185.

- Franken, RJM, Gardeniers JJP, Beijer JAJ and Peeters, ETHM. 2008. Variation in stonefly (*Nemoura cinerea* Retzius) growth and development in response to hydraulic and substrate conditions. *J. N Amer Benthol Soc.* 27: 176-185.
- Friedrich F and Beutel RG. 2008. The thorax of *Zorotypus* (Hexapoda, Zoraptera) and a new nomenclature for the musculature of Neoptera. *Arthropod Struct Devel* 37: 29-54.
- Froehlich CO. 2008. Old species of Neotropical Plecoptera. Pp. 125-132. *In* International advances in the ecology, zoogeography, and systematics of mayflies and stoneflies. Hauer FR, Stanford, JA and Newell, RL (editors). Univ. California Publ. Entomol. 128. 412 pp
- Gilbert B, Dillion PJ, Somers KM, Reid, RA and Scott, L. 2008. Response of benthic macroinvertebrate communities to El Ni(n)over-tildeo related drought events in six upland streams in south-central Ontario. *Can J Fish Aquat Sci.* 65: 890-905.
- Giustini M, Miccoli FP, De Luca G, and Cicolani, B. 2008. Length-weight relationships for some Plecoptera and Ephemeroptera from a carbonate stream in central Apennine (Italy). *Hydrobiol.* 605: 183-191.
- Graf W, Stradner D. and Weiss, S. 2008. A new *Siphonoperla* species from the Eastern Alps (Plecoptera: Chloroperlidae), with comments on the genus. *Zootaxa* 1891: 31-38.
- Griffiths GJK, Wilby A, Crawley MJ, and Thomas MB. 2008. Density-dependent effects of predator species-richness in diversity-function studies. *Ecology* 89: 2986-2993.
- Grubbs SA. 2008. *Allocapnia tsalagi*, sp. n. and notes on *A. recta* (Claassen) from the Cumberland Plateau region of Northeastern Alabama, U.S.A. *Zootaxa* 1754: 63-68.
- Grubbs SA and DeWalt, E. 2008. Taxonomic and distributional notes on *Perlesta teaysia*, *P. golconda*, and *P. shawnee* (Plecoptera: Perlidae). *Illiesia* 4: 143-149.
- Grubbs SA and Sheldon, AL. 2008. *Allocapnia muskogee* and *A. menawa*, new species of snowflies (Plecoptera: Capniidae) from Talladega National Forest region of eastern Alabma, U.S.A., plus four new state records. *Illiesia* 4: 99-109.
- Guerrero P, Capdeville Y, and D'Amico, F. 2008. Feeding strategies in wintering dippers *Cinclus cinclus* in relation to variation in food abundance along regulated upland rivers. *Alauda* 76: 35-46.
- Haidekker A and Hering, D. 2008. The relationship between benthic insects (Ephemeroptera, Plecoptera, Coleoptera, Trichoptera) and temperature in small and medium-sized streams in Germany: a multivariate study. *Aquat Ecol.* 42: 463-481.
- Ham SA. 2008. Two species of Chloroperlidae (Insecta: Plecoptera) new to Korea, with adult keys to species of the family in Korea. *Korean J System Zool* 24: 185-189.
- Harrison AB and Stark, BP. 2008. *Rhopalopsale alobata* (Plecoptera: Leuctridae), A new stonefly species from Vietnam. *Illiesia* 4: 76-80.
- Harrison ET, Norris RH, and Wilkinson, SN. 2008. Can an indicator of river health be related to assessments from a catchment-scale sediment model? *Hydrobiol.* 600: 49-64.
- Heino J and Mykra, H. 2008. Control of stream insect assemblages: roles of spatial configuration and local environmental factors. *Ecol Entomol* 33: 614-622.

- Hohmann M. 2008. Eintags- und Steinfliegenfunde (Ephemeroptera et Plecoptera) aus der Dübener Heide, Sachsen-Anhalt. [Mayflies and stoneflies (Ephemeroptera et Plecoptera) found in the Düben Heath, Sachsen-Anhalt]. *Abhandlungen und Berichte für Naturkunde* 30 (2007): 189-200; Magdeburg.
- Hollmann MET and Miserendino, ML. 2008. Life history and emergence patterns of stonefly species in mountain streams of the Futaleufu Basin, Patagonia (Argentina). *Annal Limnol* 44: 135-144.
- Hrodey PJ, Kalb BJ, and Sutton, TM. 2008. Macroinvertebrate community response to large-woody debris additions in small warmwater streams. *Hydrobiol.* 605: 193-207.
- Isobe Y, Yoshimura, M and Oishi, T. 2008. Pp. 15-60. *In International advances in the ecology, zoogeography, and systematics of mayflies and stoneflies.* Hauer FR, Stanford, JA and Newell, RL (editors). Univ. California Publ. Entomol. 128. 412 pp.
- Jin YH, Kishimoto, T and Bae YJ. 2008. Systematic review of the wingless stoneflies, Scopuridae. Pp. 395-412. *In International advances in the ecology, zoogeography, and systematics of mayflies and stoneflies.* Hauer FR, Stanford, JA and Newell, RL (editors). Univ. California Publ. Entomol. 128. 412 pp.
- Johnson KR, Jepson PC, and Jenkins, JJ. 2008. Esfenvalerate-induced case-abandonment in the larvae of the caddisfly (*Brachycentrus americanus*). *Environmental Toxicology and Chemistry* 27: 397-403.
- Joshi PC, Negi RK, and Negi, T. 2007. Seasonal variation in benthic macro-invertebrates and their correlation with the environmental variables in a freshwater stream in Garhwal Region (India). *Life Sci J Acta Zengzhou Univ Overseas Ed.* 4: 85-89.
- Jung SW, Nguyen VV, Nguyen, QH, and Bae, YJ. 2008. Aquatic insect faunas and communities of a mountain stream in Sapa Highland, northern Vietnam. *Limnology* 9: 219-229.
- Kasangaki A, Chapman LJ, and Balirwa, J. 2008. Land use and the ecology of benthic macroinvertebrate assemblages of high-altitude rainforest streams in Uganda. *Freshwat Biol.* 53: 681-697.
- Keller S. 2008. The arthropod-pathogenic Entomophthorales from Switzerland - is central Europe the centre of their global species-richness? – *Mitteil schweizerischen entomol Gesellschaft* 81: 39-51.
- Kjer KM, Carle FM, Litman J and Ware, J. 2006. A molecular phylogeny of Hexapoda. *Arthropod Syst Phylogeny* 64: 35-44.
- Klug R. and Klass, K.-D. 2006. The potential value of the mid-abdominal musculature and nervous system in the reconstruction of interordinal relationships in Lower Neoptera. *Arthropod Syst Phylogeny* 65: 73–100.
- Koese B. 2008. De Nederlandse steenvliegen (Plecoptera). *Entomologische Tabellen* 1, Suppl. to *Nederlandse Faunistische Mededelingen*, 158 pp., Leiden.
- Kondratieff BC, Zuellig RE, Kirchner RF, and Lenat, DR. 2008. Two new species of *Perlesta* (Plecoptera: Perlidae) from Eastern North America. *Proc Entomol Soc Wash* 110: 668-673.
- Konrad CP, Brasher, AMD and May, JT. 2008. Assessing streamflow characteristics as limiting factors on benthic invertebrate assemblages in streams across the western United States. *Freshwat Biol.* 53: 1983-1998.

- Korte T, Hering D and Moog, O. 2008. Untersuchungen zu Habitatpräferenzen ausgewählter Makroinvertebraten der Hindu Kush – Himalaya Region. [Studies of habitat preferences of selected macroinvertebrates of the Hindu Kush – Himalaya region]. Deutsche Gesellschaft für Limnologie (DGL), Erweiterte Zusammenfassungen der Jahrestagung 2007 (Münster), Werder 2008: 146 -150.
- Kovács T. and Murányi. 2008. New data on genus *Besdolos* from Balkan Peninsula (Plecoptera: Perlodidae). *Illiesia* 4: 91-93.
- Kovács T and Zwick, P. 2008. Contribution to the knowledge of genus *Besdolos* (Plecoptera: Perlodidae). *Aquat Insects*. 30: 187-195.
- Kazanci, N. 2008. Türkiye Plecoptera (Insecta) Faunasi / Plecoptera (Insecta) fauna of Turkey. *Türkiye İç Suları Araştırmaları Dizisi* 9: I-VI, 1-56.
- Kreutzweiser DP, Good KP, Chartrand DT, Scarr TA, and Thompson, DG. 2008. Toxicity of the systemic insecticide, imidacloprid, to forest stream insects and microbial communities. *Bull Environ Contam Toxicol* 80: 211-214.
- Krolak E and Korycinska, M. 2008. Taxonomic composition of macroinvertebrates in the Liwiec River and its tributaries (Central and Eastern Poland) on the basis of chosen physical and chemical parameters of water and season. *Polish J Environ Stud* 17 2008: 39-50.
- Küttner R, Hohmann M, Plesky B and Voigt, H. 2008. Zur Kenntnis der Verbreitung und Ökologie von *Brachyptera braueri* (Klapálek, 1900) (Insecta: Plecoptera) in Mitteldeutschland unter Berücksichtigung weiterer Plecoptera-Arten des zeitigen Frühjahres / Distribution and ecology of *Brachyptera braueri* (Klapálek, 1900) (Insecta: Plecoptera) in Central Germany with consideration of other early spring Plecoptera species. *Lauterbornia* 63: 31-50.
- Le Doare, J. 2008. Ephemeroptera, Plecoptera and Trichoptera, little known insects, and yet essential to the life of water courses.. *Penn Ar Bed (Brest)* 203: 51-57.
- Li W and Yang, D. 2008. New species of *Nemoura* (Plecoptera: Nemouridae) from China. *Zootaxa* 1783: 61-68.
- Li W and Yang, D. 2008. A new species of *Amphinemura* (Plecoptera: Nemouridae) from China. *Zootaxa* 1892: 65-68.
- Li W and Yang, D. 2008. Two new species of *Amphinemura* (Plecoptera: Nemouridae) from Yunna, China, with the description of *A. triramia* (Wu, 1962). *Zootaxa* 1926: 61-67.
- Li W and Yang, D. 2008. Two new species of *Indonemoura* (Plecoptera: Nemouridae) from China, with redescription of *Indonemoura longiplatta* (Wu, 1949), comb. n. *Aquat Insects* 30: 97-103.
- Li W and Yang, D. New species of Nemouridae (Plecoptera) from China. *Aquat Insects* 30: 205-221.
- Li W and Yang, D. 2008. Species of *Amphinemura* (Plecoptera: Nemouridae) from Tibet, China. *Zootaxa* 1688: 54-60.
- Li W, G. Feng, and Yang, D. 2008. Redescription of *Nemoura cochleocercia* (Plecoptera: Nemouridae) from China. *Illiesia* 4: 205-207.
- Lieske R and Zwick, P. 2008. Effects of intraspecific competition on the life cycle of the stonefly, *Nemurella pictetii* (Plecoptera: Nemouridae). *BMC Ecology* 8: 1-8.
- Lietz L. 2008. Vergleichende Untersuchungen des Makrozoobenthos an einem kiesgeprägten Bach im norddeutschen Flachland (Farver Au, Schleswig Holstein) /

- Comperative [sic!] survey of macroinvertebrates in a small gravel-dominated lowland river (Farver Au, Schleswig Holstein). *Lauterbornia* 63: 113-125.
- Liu Y, Ren, D, Sinitshenkova ND, and Shih C. 2008. Three new stoneflies (Insecta: Plecoptera) from the Yixian formation of Liaoning, China. *Acta Geol Sinica English Edition* 82: 249-256.
- Liu YS and Ren, D. 2008. Two new Jurassic stoneflies (Insecta: Plecoptera) from Daohugou, Inner Mongolia, China. *Prog Nat Sci* 18: 1039-1042.
- Lock K and Goethals, PLM. 2008 Distribution and ecology of the stoneflies (Plecoptera) of Flanders, Belgium. *Annal Limnol-Internat J Limnol* 44: 203-213.
- López-Rodríguez MJ and Tierno de Figueroa, JM. 2008. Feeding habits of two Capniidae (Plecoptera) species from southern Iberian Peninsula. *J Entomol Sci* 43: 141-142.
- López-Rodríguez MJ, Tierno de Figueroa JM, and Alba-Tercedor J. 2008. Description of the nymph of *Isoperla curtata* Navás, 1924 (Insecta, Plecoptera). *Zool Baetica* 19: 85-88.
- Lopez-Rodriguez MJ, Tierno de Figueroa JM, and Alba-Tercedor, J. 2008. Life history and larval feeding of some species of Ephemeroptera and Plecoptera (Insecta) in the Sierra Nevada (southern Iberian Peninsula). *Hydrobiol* 610: 277-295.
- Lorenz A. and Graf, W. 2008. (Mögliche) Verlierer und Gewinner des Klimawandels innerhalb der Insektenordnung Plecoptera (Steinfliegen). [(Possible) losers and winners, respectively, of climate change among the insect order Plecoptera (stoneflies)]. *Deutsche Gesellschaft für Limnologie (DGL), Erweiterte Zusammenfassungen der Jahrestagung 2007 (Münster), Werder 2008*: 326-330.
- Loskutova OA. 2006. Plecoptera. Fauna of European North-East Russia 9; 222 pp., Russian Academy of Sciences, Ural Branch, Komi Scientific Centre, Institute of Biology, Nauka, St. Petersburg.
- Loskutova O. 2008. Life cycles, growth and production of stonefly populations. Pp. 61-77. *In International advances in the ecology, zoogeography, and systematics of mayflies and stoneflies*. Hauer FR, Stanford, JA and Newell, RL (editors). Univ. California Publ. Entomol. 128. 412 pp.
- MacDonald, EE, and Taylor, BR. 2008. Factors influencing litter decomposition rates in upstream and downstream reaches of river systems of eastern Canada. *Fund Appl. Limnol.* 172: 71-86.
- Malicky H, Vinçon G and Delmastro, GB. 2007. Nuovi dati sulla distribuzione di Plecotteri e Tricotteri sulle Alpe occidentali italiane (province di Cuneo e Torino) (Insecta: Plecoptera, Trichoptera). [New data on the distribution of Plecoptera and Trichoptera over the western Italian Alps (provinces of Cuneo and Torino) (Insecta: Plecoptera, Trichoptera)]. Pp 75-95 in: Delmastro, G. B., P. M. Giachino, A. Morisi, and M. Rastelli (eds): *Ricerca sugli ambienti acquatici del Po Cuneese. [Research on aquatic environments of the Po Cuneese]- Interr IIIA "Acqua". Memorie dell'Associazione Naturalistica Piemontese* 8, 154 pp.
- Maloney KO, Dodd HR, Butler SE, and Wahl, DH. 2008. Changes in macroinvertebrate and fish assemblages in a medium-sized river following a breach of a low-head dam. *Freshwat Biol* 53: 1055-1068.
- Martin, P, Rückert M and Brunke, M. 2008. Eine faunistisch begründete Quelltypologie für Schleswig-Holstein. [A faunistically founded typology of springs for Schleswig-



- Holstein] Deutsche Gesellschaft für Limnologie (DGL), Erweiterte Zusammenfassungen der Jahrestagung 2007 (Münster), Werder 2008: 74-78.
- McKie BG, Woodward G, Hladyz S, Nistorescu M, Preda E, Popescu, Giller PS, and Malmqvist, B. 2008. Ecosystem functioning in stream assemblage from different regions: contrasting responses to variation in detritivore richness, evenness and density. *J Animal Ecol.* 77: 495-504.
- McLellan, ID. 2008. Additions to *Zelandobius* (Plecoptera: Gripopterygidae Antartoperlinae) from New Zealand. *Illiesia* 4: 11-18.
- Mellado Diaz A., Suarez Alonso ML and Vidal-Abarca Gutierrez, MR. 2008. Biological traits of stream macroinvertebrates from a semi-arid catchment: patterns along complex environmental gradients. *Freshwat Biol* 53: 1–21.
- Miserendino, ML, Brand C, and DiPrinzio, CY. 2008. Assessing urban impacts on water quality, benthic communities and fish in streams of the Andes Mountains, Patagonia (Argentina). *Wat Air Soil Poll.* 194: 91-110.
- Misof B, Niehuis, O, Bischoff I, Rickert A, Erpenbeck D and Staniczek, A. 2007. Towards an 18S phylogeny of hexapods: Accounting for group-specific character covariance in optimized mixed nucleotide/doublet models. *Sci Direct, Zool* 110: 409–429.
- Monaghan KA and Milner, AM. 2008. Salmon carcasses as a marine-derived resource for benthic macroinvertebrates in a developing postglacial stream, Alaska. *Can J Fish Aquat Sci* 65: 1342-1351.
- Nelson, C. H. 2008. Hierarchical relationships of North American states and provinces: an area cladistic analysis based on the distribution of stoneflies (Insecta: Plecoptera). *Illiesia* 4: 176-204.
- Nessimian JL, Venticinque EM, Zuanon J, DeMarco P, Gordo M, Fedelis L, Batista JD, and Juen L. 2008. Land use, habitat integrity, and aquatic insect assemblages in Central Amazonian streams. *Hydrobiol.* 614: 117-131.
- New, TR. 2008. Legislative inconsistencies and species conservation status: Understanding or confusion? The case of *Riekoperla darlingtoni* (Plecoptera) in Australia. *J Insect Conserv* 12: 1-2.
- Newell RL, Baumann, RW and Standford, JA. 2008. Stoneflies of Glacier National Park and Flathead River Basin, Montana. Pp. 173-186. *In* International advances in the ecology, zoogeography, and systematics of mayflies and stoneflies. Hauer FR, Stanford, JA and Newell, RL (editors). Univ. California Publ. Entomol. 128. 412 pp
- Otsuki A and Iwakuma, T. 2008. Life history, growth patterns and feeding habits of two predatory stoneflies, *Skwala pusilla* (Perlodidae) and *Kamimuria tibialis* (Perlidae) in northern Japan. *Aquat Insects* 30: 29-41.
- Ozdikmen H. 2008. A new name for the preoccupied stonefly genus *Aubertiana zhiltzo*, 1994 (Plecoptera). *Munis Entomol Zool* 3: 761-762.
- Palma A and Figueroa, R. 2008. Latitudinal diversity of Plecoptera (Insecta) on local and global scales. *Illiesia* 4: 81-90.
- Palmquist KR, Jenkins JJ, and Jepson, PC. 2008. Clutch morphology and the timing of exposure impact the susceptibility of aquatic insect eggs to esfenvalerate. *Environ Tox Chem.* 27: 1713-1720.

- Palmquist KR, Jenkins JJ, and Jepson, PC. 2008. Effects of dietary esfenvalerate exposures on three aquatic insect species representing different functional feeding groups. *Environ Toxi Chem.* 27: 1721-1727.
- Paradowski N, Riss HW and Meyer, EI. 2008. Analyse von biologischen Daten und Umweltparametern zur Erfassung von Biodiversitätsmustern in Karstgewässern. [Analysis of biological data and environmental parameters to capture patterns of biodiversity in karstic waters]. Deutsche Gesellschaft für Limnologie (DGL), Erweiterte Zusammenfassungen der Jahrestagung 2007 (Münster), Werder 2008:34-38.
- Paril P, Bojkova J, Spacek J, and Helesic, J. 2008. Ecology of *Leuctra geniculata* (Plecoptera: Leuctridae), an Atlantomediterranean species on the north-eastern border of its area. *Biologia (Bratislava)* 63: 574-581.
- Pastuchova, Z. 2008. Ephemeroptera, Plecoptera and Trichoptera communities of streams in Cerova Vrchovina Highland, Slovakia. *Lauterbornia* 62: 121-127.
- Pastuchova Z, Lehotsky, and Greskova, A. 2008. Influence of morphohydraulic habitat structure on invertebrate communities (Ephemeroptera, Plecoptera and Trichoptera). *Biol.* 63: 720-729.
- Peckarsky BL, Kerans BL, Taylor BW, and McIntosh, AR. 2008. Predator effects on prey population dynamics in open systems. *Oecologia* 156: 431-440.
- Pessaq P and Miserendino, ML. 2008. Ephemeroptera and Plecoptera biodiversity in central Patagonia, Chubut province, Argentina. *Zootaxa* 1817: 27-38.
- Phillips ID, Parker D, and McMaster, G. 2008. Aquatic invertebrate fauna of a northern prairie stream: Range extensions and water quality characteristics. *West N Am Nat* 68: 173-185.
- Ribeiro JMF and Rafael, JA. 2005. A key to adult Amazonian stonefly genera with new geographical records of *Enderleina* Jewett for Brazil and first description of the *E. froehlichii* Ribeiro-Ferreira female (Insecta: Plecoptera). *Zootaxa* 1096: 61-67.
- Rohasliney H and Jackson, DC. 2008. Lignite mining and stream channelization influences on aquatic macroinvertebrate assemblages along the Natchez Trace parkway, Mississippi, USA. *Hydrobiol* 598: 149-162.
- Ross RM, Long ES, and Dropkin, DS. 2008. Response of macroinvertebrate communities to remediation-simulating conditions in Pennsylvania streams influences by acid mine drainage. *Environ. Monit. Assess.* 145: 323-338.
- Sánchez-Fernandez D, Abella NP, Mellado A, Velasco J and Millán, A. 2006. Are water beetles good indicators of biodiversity in Mediterranean aquatic ecosystems? The case of the Segura river basin (SE Spain). *Biodiversity Conserv.* 15: 4507-4520.
- Scheibler EE and Debandi, GO. 2008. Spatial and temporal patterns in the aquatic insect community of a high altitude Andean stream (Mendoza, Argentina). *Aquat Insects* 30: 145-161.
- Schulthesis AS, Booth, JY, Vinson, MR, and Miller, MP. 2008. Genetic evidence for cohort splitting in the merovoltine stonefly *Pteronarcys californica* (Newport) in Blacksmith Fork, Utah. *Aquat Insects.* 30: 179-186.
- Sheldon AL. 2008. Scale and hierarchy in the ecology of stoneflies. Pp. 15-38. *In* International advances in the ecology, zoogeography, and systematics of mayflies and stoneflies. Hauer FR, Stanford, JA and Newell, RL (editors). Univ. California Publ. Entomol. 128. 412 pp.

- Silveri L, Tierno de Figueroa JM , and Maiolini B. 2008. Notes on the nymphal biology of *Nemoura mortoni* Ris 1902 (Plecoptera, Nemouridae) in a high altitude stream (Trentino, Italian Alps). *Zool. Baetica* 19: 51-56.
- Silveri L, Tierno de Figueroa, JM and Maiolini, B. 2008. Feeding habits of Perlodidae (Plecoptera) in the hyporheic habitats of Alpine streams (Trentino-NE Italy). *Entomol Fennica*, 19: 176-183.
- Sivec I and Stark BP. 2008. New species of *Kamimuria* Klapálek (Plecoptera: Perlidae) from Thailand and Vietnam, with notes on Chinese species. *Illiesia* 4: 110-138.
- Sivec I., Harper PP and Shimizu, T. 2008. Contribution to the study of the Oriental genus *Rhopalopsale* (Plecoptera: Leuctridae). *Scopelia* 64:1-122.
- Smith, RF and Lamp, WO. 2008. Comparison of insect communities between adjacent headwater and mainstem streams in urban and rural watersheds. *J. N Amer Benthol Soc.* 27: 161-175.
- Stark, BP. 2007. *Anacroneuria marshalli* (Plecoptera: Perlidae), a new stonefly from Argentina, and two new records from Ecuador. *Illiesia* 3: 171-173.
- Stark, BP. 2008. *Diamphipnoa colberti*, a new stonefly species from Chile, and the possible female of *Diamphipnopsis beschi illies* (Plecoptera: Diamphipnoidae). *Illiesia* 4: 55-58.
- Stark BP, Kondratieff BC, and Baumann, RW. 2008. Modoc county, California stoneflies (Plecoptera). *Perla* 26: 12-16.
- Stark BP and Sivec, I. 2008. New stoneflies (Plecoptera) from Asia. *Illiesia* 4: 1-10.
- Stark BP and Sivec, I. 2008. New Vietnamese species of the genus *Flavoperla* Chu (Plecoptera: Perlidae). *Illiesia* 4: 59-65.
- Stark BP and Sivec, I. 2008. New species and records of *Neoperla* (Plecoptera: Perlidae) from Vietnam. *Illiesia* 4: 19-24.
- Stark BP and Sivec, I. 2008. Descriptions of male and larval stages for *Neoperlops obscuripennis* Banks (Plecoptera: Perlidae). *Illiesia* 4: 94-98.
- Stark BP and Sivec, I. 2008. *Rhopalopsale mataikan* (Plecoptera: Leuctridae), a new stonefly from Brunei Darussalam. *Illiesia* 4: 139-142.
- Stark BP and Sivec, I. 2008. Studies on *Sinacroneuria* Yang & Yang (Plecoptera: Perlidae) with description of new species from China and Vietnam. *Illiesia* 4: 150-153.
- Stark BP and Sivec, I. 2008. New Vietnamese species of genus *Acroneuria* (Plecoptera: Perlidae). *Illiesia*. 4: 154-160.
- Stark BP and Sivec, I. 2008. Systematic notes on *Kiotina* Klapálek and *Hemacroneuria* Enderlein (Plecoptera: Perlidae), with description of four new species. *Illiesia* 4: 161-175.
- Stark BP and Sivec, I. 2008. The genus *Togoperla* Klapálek (Plecoptera: Perlidae). *Illiesia*. 4: 208-225.
- Stepenuck, KF, Crunkilton RL, Bozek MA and Wang, LZ. 2008. Comparison of macroinvertebrate-derived stream quality metrics between snag and riffle habitats. *J Am Wat Res Assoc.* 44: 670-678.
- Stewart KW and Anderson, NH. 2008. The nymphs of three Nemouridae species (Plecoptera) from Oregon temporary headwater streams. *Trans Am Entomol Soc* 134:173-83.

- Storey RG and Quinn, JM. 2008. Composition and temporal changes in macroinvertebrate communities of intermittent streams in Hawke's Bay, New Zealand. *N Z J Mar Freshwat Res* 42: 109-125.
- Strongman DB. 2007. Trichomycetes in aquatic insects from Prince Edward island, Canada. *Can J Botany* 85: 949-963.
- Tamura F, Isobe, Y and Oishi, T. 2008. The types and distribution of setae on the larval legs of *Neoperla geniculata*. Pp. 355-368. *In* International advances in the ecology, zoogeography, and systematics of mayflies and stoneflies. Hauer FR, Stanford, JA and Newell, RL (editors). Univ. California Publ. Entomol. 128. 412 pp
- Tierno de Figueroa, JM and López-Rodríguez, MJ. 2008. *Marthamea selysii* (Pictet, 1841) (Plecoptera: Perlidae). *in* Barea-Azcón JM, Ballesteros-Duperón, E. & Moreno, D (coords.). *Libro Rojo de los Invertebrados Amenazados de Andalucía*. Ed. Consejería de Medio Ambiente-Junta de Andalucía. 3: 1231-1233.
- Tierno de Figueroa, JM and López-Rodríguez, MJ. 2008. *Besdolus bicolor* (Navás, 1909) (Plecoptera: Perlodidae). *in* Barea-Azcón JM, Ballesteros-Duperón, E & Moreno, D. (coords.). *Libro Rojo de los Invertebrados Amenazados de Andalucía*. Ed. Consejería de Medio Ambiente-Junta de Andalucía. 3: 1234-1236.
- Tierno de Figueroa, JM. 2008. *Leuctra bidula* Aubert, 1962 (Plecoptera: Leuctridae). *in* Barea-Azcón, JM, Ballesteros-Duperón, E. & Moreno, D. (coords.). *Libro Rojo de los Invertebrados Amenazados de Andalucía*. Ed. Consejería de Medio Ambiente-Junta de Andalucía. 3: 1224-1227.
- Tierno de Figueroa, JM and López-Rodríguez, MJ. 2008. *Nemoura rifensis* Aubert, 1961 (Plecoptera: Nemouridae). *in* Barea-Azcón JM, Ballesteros-Duperón, E & Moreno, D. (coords.). *Libro Rojo de los Invertebrados Amenazados de Andalucía*. Ed. Consejería de Medio Ambiente-Junta de Andalucía. 3: 1228-1230.
- Tierno de Figueroa, JM and Sainz-Cantero, CE. 2008. First record of *Taeniopteryx hubaulti* Aubert, 1946 (Plecoptera, Taeniopterygidae) in Southern Iberian Peninsula. *Bol. Asoc. Española Entomol.* 32: 193-194.
- Teslenko, VA. 2008. Poorly known species of stoneflies *Isoperla pseudornata* and *Kaszabia nigricauda* (Plecoptera: Perlodidae) from eastern Palaearctic. *Zool Zhurnal* 87: 1019-1023.
- Thorpe RA, Kondratieff BC Thorp EC, Odenbeck PB, and Jarrett, MJ. 2008 The life cycles of *Claassenia sabulosa* and *Hesperoperla pacifica* (Plecoptera: Perlidae) in two Colorado streams. *West N Am Nat* 68: 311-318.
- Tiunov M and Tiunova, T. 2007. [Flying over the river]. Fotoalbum, Series Living Bureya River, 80 pp., Khabarovsk. *In* Russian (Plecoptera on pp. 46-59).
- Vera A. 2007. Descripción de la ninfa de *Araucanioperla bullocki* (Navás, 1933) (Plecoptera: Gripopterygidae) / Description of the nymph of *Araucanioperla bullocki* (Navás, 1933) (Plecoptera : Gripopterygidae ). *Acta Entomol Chilena* 31: 15-22.
- Von Ellenrieder, N. 2007. Composition and structure of aquatic insect assemblages of Yungas mountain cloud forest streams in NW Argentina. *Rev Soc Entomol Argentina* 66: 57-76.
- Walther DA and Whiles, MR. 2008. Macroinvertebrate responses to constructed riffles in the Cache River, Illinois, USA. *Environ Manag* 41: 516-527.

- Wang Z and Du, Y. 2008. A new species of the genus *Nemoura* (Plecoptera: Nemouridae) from Xinjiang, China. *Zootaxa* 1879: 18-20.
- Ware JL, Litman J, Klass K, Spearman, LA. 2008. Relationships among the major lineages of Dictyoptera: The effect of outgroup selection on dictyopteran tree topology. *Syst Entomol* 33: 429-450.
- Willkommen J. 2008. The morphology of the pterothorax of Ephemeroptera, Odonata and Plecoptera (Insecta) and the homology of wing base sclerites and flight muscles. *Stuttgarter Beit Nat A, Neue Series* 1: 203-300.
- Wolf B. 2008. Nachweise von Köcherfliegen (Trichoptera), Steinfliegen (Plecoptera) und Eintagsfliegen (Ephemeroptera) am Halberg bei Neumorschen (Hessen, Schwalm-Eder-Kreis) / Records of caddisflies (Trichoptera), stoneflies (Plecoptera), and mayflies (Ephemeroptera) at the Halberg near Neumorschen (Hesse, Schwalm-Eder county). *Philippia* 13: 245-248.
- Yoshimura M. 2008. Adult stonefly behavior before and after mating. Pp. 79-88. *In International advances in the ecology, zoogeography, and systematics of mayflies and stoneflies*. Hauer FR, Stanford, JA and Newell, RL (editors). Univ. California Publ. Entomol. 128. 412 pp
- Yoshimura M. 2008. Longitudinal patterns of benthic invertebrates along a stream in the temperate forest in Japan: in relation to humans and tributaries. *Insect Conser Diversity* 1: 95-107.
- Yoshimura M. 2008. Observation of spermatophore transfer in *Stavsolus japonicus* (Plecoptera: Perlodidae) in Japan. *Entomol News* 119: 123-129.
- Yoshimura, M. 2008. Relationship between stonefly assemblages and riparian environment: Case study in mountain stream in Japan. *Internat Vereinig Theoret Angewandte Limnol Verhand* 30: 537-540.
- Zaikowski L, McDonnell KT, Rockwell RF, Rispoli, F. 2008. Temporal and spatial variations in water quality on New York south shore estuary tributaries: Carmans, Patchogue, and Swan rivers. *Estuaries Coasts* 31: 85-100.
- Zhi-Jie W and Yu-Zhou D. 2008. A new species of the genus *Nemoura* (Plecoptera: Nemouridae) from Xinjiang, China. *Zootaxa* 1879: 18-20.