



Figure 2. *Malenka biloba*. California: Los Angeles Co., San Gabriel Mountains, Arroyo Seco Creek, Switzer Campground, Hwy 2.

## OTHER MEETINGS

**The 1st Annual World Congress of Biodiversity-2012 (WCBD-2012)** will be held April 25-28, 2012, in Xi'an, China.

**The 3rd International Forum for Surveillance and Control of Mosquitoes and Mosquito-borne Diseases** will be held at Suzhou, Jiangsu, China, May 27-31, 2013. Contact Dr. Rudy Xue at [xueamcd@yahoo.com](mailto:xueamcd@yahoo.com) and Dr. Tongyan Zhao at [aedes@263.net](mailto:aedes@263.net)

**The International Congress of Entomology** will be held August 19-25, 2012 in Daegu, South Korea.

**Entomology 2012, the 60th Annual Meeting of the Entomological Society of America**, will be held November 11-14, 2012 in Knoxville, Tennessee.

### RECENT PLECOPTERA LITERATURE (CALENDAR YEAR 2011 AND

**EARLIER).** Papers made available after 1 February 2012 will be included in the next issue. **If papers were missed, please bring these to the attention of the Managing Editor.** Drs. J. Manuel Tierno de Figueroa and Peter Zwick are thanked for reviewing and providing additions to this present list.

Aagaard, K. and T. Bongard. 2011. Disentangling the effects of heterogeneity, stochastic dynamics and sampling in a community of aquatic insects. Ecological Modelling 222: 1387-1393.

Al-Shami S. A., C. S. Md Rawi, A. H. Ahmad, S. A. Hamid, and S. A. M. Nor. 2011. Influence of agricultural, industrial, and anthropogenic stresses on the distribution and

diversity of macroinvertebrates in Juru River Basin, Penang, Malaysia. Ecotoxicology and Environmental Safety 74(5): 1195-1202.

Amore V., M. A. Garcia, A. M. Timperio, G. Egidi, N Ubero-Pascal, and R. Fochetti. 2011. Comparative proteomic analysis of hemocyanins in *Dinocras cephalotes* and *Perla marginata* (Plecoptera). Environmental Entomology 40: 167-171.

Amore, V., B. Gaetani, M. A. Puig, and R. Fochetti. 2011. New data on the presence of hemocyanin in Plecoptera: Recomposing a puzzle. Journal of Insect Science 11(153): 1-20.

Angelstam, P., E. Degerman, L. Henrikson, T. Edman, and J. Temnerud. 2011. Catchment land cover as a proxy for macroinvertebrate assemblage structure in Carpathian mountain streams. Hydrobiologia 673: 153-168.

Arbaciauskas K., G. Visinskiene, and S. Smilgeviciene. 2011. Non-indigenous macroinvertebrate species in Lithuanian fresh waters, Part 2: Macroinvertebrate assemblage deviation from naturalness in lotic systems and the consequent potential impacts on ecological quality assessment. Knowledge and Management of Aquatic Ecosystems: 402 (13) DOI: 10.1051/kmae/2011076.

Arciszewski, T. J., K. A. Kidd, and K. R. Munkittrick. 2011. Comparing responses in the performance of sentinel populations of stoneflies (Plecoptera) and slimy sculpin (*Cottus cognatus*) exposed to enriching effluents. Ecotoxicology and Environmental Safety 74: 1844-1854.

Arimoro F. O., R. B. Ikomi, I. O. Ajuzieogu, and F. O. Nwadukwe. 2011. Temporal and spatial variability in macroinvertebrate community structure in relation to environmental variables in Ajijiguan Creek, Niger Delta, Nigeria. African Journal of Aquatic Science 36 (1): 57-66.

Barbola, I. F., M. F. P. G. Moraes, T. M. Anazawa, E. A. Nascimento, E. R. Sepka, C. M. Polegatto, J. Milléo, and G. S. Schühli. 2011. Evaluation of the aquatic macroinvertebrate community as a tool for monitoring a reservoir in the Pitangui river basin, Parana, Brazil. Iheringia Serie Zoologia 101(1-2): 15-23 (in Spanish).

Barton, D. R., M. S. Evans and J. J. Keating. 2011. Latitudinal gradients and local control of aquatic insect richness in a large river system in northern Canada. Journal of the North American Benthological Society 30(3): 621-634.

Baturina, N. S. 2011. Stoneflies (Plecopetra (sic) in rivers of northern Altai: species composition and assemblage structure. Evraziatskii Entomologicheskii Zhurnal 10(2): 131-135.

Baumann, R. W. and B. C. Kondratieff. 2011. Collecting endemic and rare stoneflies (Plecoptera) in California, U.S.A. Perla 29: 13-19.

- Beltran, E. P., M. M. Laura. 2011. Life cycle, production and habitat selection of *Notoperla fasciata* and *N. magnaspina* (Plecoptera: Gripopterygidae) in a headwater Patagonian stream. *Fundamental and Applied Limnology* 178(3): 219-229.
- Benstead, J. and A. D. Huryn. 2011. Extreme seasonality of litter breakdown in an arctic spring-fed stream is driven by shredder phenology, not temperature. *Freshwater Biology* 56(10): 2034-2044.
- Béthoux, O., Y. Cui, B. Kondratieff, B. Stark, and D. Ren. 2011. At last, a Pennsylvanian stem-stonefly (Plecoptera) discovered. *BioMed Central Evolutionary Biology* 11: 1471-2148.
- Betz, O. 2010. Adhesive exocrine glands in insects: Morphology, ultrastructure, and adhesive secretion. Chapter 8. Pp. 111-152 In: von Byern, J., and J. Grunewald (eds), *Biological adhesive systems*, Springer, New York.
- Bio, A., N. Vieira, M. J. Costa, and A. Valente. 2011. Assessment of habitat and water quality of the Portuguese Febros River and one of its tributaries. *Limnetica*, 30(1): 103-116.
- Bo, T. and S. Fenoglio. 2011. Impacts of a micro-sewage effluent on the biota of a small Apennine creek. *Journal of Freshwater Ecology* 26(4): 537-545.
- Bo, T., M. Cammarata, A. Candiotti, S. Fenoglio, M. J. López-Rodríguez, J. M. Tierno de Figueroa, and G. Malacarne. 2011. Feeding habits of *Padogobius bonelli* (Bonaparte, 1846) (Osteichthyes, Gobiidae): the importance of fish dimensions and hydrological conditions. *Italian Journal of Zoology* 78(3): 390-397.
- Bo, T., S. Fenoglio, M. J. López-Rodríguez, J. M. Tierno de Figueroa, M. Grenna, and M. Cucco. 2010. Do predators condition the distribution of prey within microhabitats? An experiment with stoneflies (Plecoptera). *International Review of Hydrobiolgy* 95: 285–295.
- Böhme, D. 2011. Eintags- und Steinfliegen (Insecta: Ephemeroptera, Plecoptera) in Mittelgebirgsbächen des Harzes: Analyse und Prognose naturnaher Referenzzönosen für die Gewässerbewertung. [Mayflies and stoneflies (Insecta: Ephemeroptera, Plecoptera) in foothill streams of the Harz: analysis and prognosis of near-natural reference coenoses for assessment of waters]. PhD Thesis, University of Kassel (In German).
- Bohorquez, H., G. Reinoso, and G. Guevara. 2011. Seasonal size distribution of *Anacroneuria* (Plecoptera: Perlidae) in an Andean tropical river. *Revista Columbiana de Entomología* 37(2): 305-312.
- Bonada, N., and S. Dolédec. 2011. Do Mediterranean genera not included in Tachet et al. 2002 have Mediterranean trait characteristics? *Limnetica* 30 (1): 129-142.

Bottazzi, E., M. C. Bruno, V. Pieri, A. DiSabatino, L. Silveri, M. Carolly, and G. Rossetti. 2011. Spatial and seasonal distribution of invertebrates in Northern Apennine rheocrene springs. *Journal of Limnology* 70 (Supplement 1): 77-92.

Boumans, L. 2011. The Plecoptera collection at the Natural History Museum in Oslo. *Illiesia* 7: 280-290.

Boumans, L. 2011. Databasing the stoneflies (Plecoptera) at the Natural History Museum reveals new Norwegian province records. *Norwegian Journal of Entomology* 58: 170-179.

Brand, C. and M. M. Laura. 2011. Life history strategies and production of caddisflies in a perennial headwater stream in Patagonia. *Hydrobiologia* 673(1): 137-151.

Brown, L. E., J. Holden and R. Langton. 2011. Spatial and seasonal variability of peatland stream ecosystems. *Ecohydrology* 4(4): 577-588.

Bruno, M. C., B. Maiolini, M. Carolly, and L. Silveri. 2010. Short time-scale impacts of hydropeaking on benthic macroinvertebrates in an alpine stream (Trentino, Italy). *Limnologica* 40(4): 281-290.

Campbell, E. Y., M. E. Benbow, S. D. Tiegs, J. P. Hudson, G. A. Lamberti, and R. W. Merritt. 2011. Timber harvest intensifies spawning-salmon disturbance of macroinvertebrates in southeastern Alaskan streams. *Journal of the North American Benthological Society* 30(1): 49-59.

Candiotti A., T. Bo, and S. Fenoglio. 2011. Biological and ecological data on an established rainbow trout (*Oncorhynchus mykiss*) population in an Italian stream. *Fundamental and Applied Limnology* 179: 67-76.

Carolly, M. and L. Silveri. 2011. Ephemeroptera, Plecoptera and Trichoptera in springs in Trentino (south-eastern Alps). *Journal of Limnology* 70: 122-133.

Caruso, C. and W. Wichard. 2011. Paleogeographic distribution of Leuctridae and Nemouridae genera preserved in Baltic amber, with the description of *Palaeopsole weiterschani* n. gen., n. sp. (Plecoptera). *Entomologie Heute* 23: 69-77.

Chaves, M. L., J. L. Costa, P. Cainho, M. J. Costa, and N. Prat. 2011. Are water framework directive stream types biologically relevant? The case of the Mondego River, Portugal. *Annales de Limnologie, International Journal of Limnology* 47: 119-131.

Collier, K. J. and B. L. Clements. 2011. Influences of catchment and corridor imperviousness on urban stream macroinvertebrate communities at multiple spatial scales. *Hydrobiologia* 664(1): 35-50.

- Cuffney, T. F., R. Kashuba, S. S. Qian, I. Alameddine, Y. K. Cha, B. Lee, J. F. Coles, and G. McMahon. 2011. Multilevel regression models describing regional patterns of invertebrate and algal responses to urbanization across the USA. *Journal of the North American Benthological Society* 30(3): 797-819.
- Da Silva, F. A-C., L. S. Barbosa, and G. L. de Almeida. 2011. The nymph of *Anacroneuria debilis* (Pictet, 1841) (Plecoptera: Perlidae). *Zootaxa* 2882: 59-63.
- Da Silva, F. A-C., L. S. Barbosa, and G. L. de Almeida. 2011. Complementary descriptions of *Kempnyia gracilenta* (Enderlein 1909) and *Kempnyia reticulata* (Klapálek 1916) (Plecoptera: Perlidae). *Illiesia* 7(14): 142-147.
- Dallas, H. F. and A. Z. Ketley. 2011. Upper thermal limits of aquatic macroinvertebrates: Comparing critical thermal maxima with 96-LT(50) values. *Journal of Thermal Biology* 36(6): 322-327.
- DeWalt, R. E. and S. A. Grubbs. 2011. Updates to the stonefly fauna of Illinois and Indiana. *Illiesia* 7(3): 31-50.
- Dolédec, S., N. Phillips, and C. Townsend. 2011. Invertebrate community responses to land use at a broad spatial scale: Trait and taxonomic measures compared in New Zealand rivers. *Freshwater Biology* 56(8): 1670-1688.
- Dos Santos, D. A., C. Molineri, M. C. Reynaga, and C. Basualdo. 2011. Which index is the best to assess stream health? *Ecological Indicators* 11(2): 582-589.
- Dudley, R. and S. P. Yanoviak. 2011. Animal aloft: The origins of aerial behavior and flight. *Integrative and Comparative Biology* 51(6): 926-936.
- Eiseler, B. and F. Eiseler. 2011. Bestandserhebung des Makrozoobenthos im Nationalpark Eifel (Nordrhein-Westfalen) – Erste Ergebnisse / Survey of the macrozoobenthos in the National Park Eifel (North Rhine-Westphalia/Germany) – First results. *Lauterbornia* 72: 63-94. (In German).
- Eiseler, B. 2011. Taxonomie für die Praxis. Bestimmungshilfen – Makrozoobenthos (1). [Taxonomy in practice. Identification aids – macrozoobenthos]. Landesamt für Natur, Umwelt und Verbraucherschutz Nordrhein-Westfalen, Recklinghausen, Arbeitsblatt 14, 181 pp. (In German).
- Engen, S., K. Aagaard, and T. Bongard. 2011. Disentangling the effects of heterogeneity, stochastic dynamics and sampling in a community of aquatic insects. *Ecological Modelling* 222(8): 1387-1393.
- Epele, L .B. and M. L. Miserendino. 2011. Life cycle, production and habitat selection of *Notoperla fasciata* and *N. magnaspina* (Plecoptera: Gripopterygidae) in a headwater Patagonian stream. *Fundamental and Applied Limnology* 178: 219-229.

- Erik, A. and D. Jana. 2011. Influence of beaver ponds on the macroinvertebrate benthic community in lowland brooks. *Italian Journal of Zoology* 78: 390-397.
- Fenoglio, S., T. Bo, M. J. López-Rodríguez, and J. M. Tierno de Figueiroa. 2010. Life cycle and nymphal feeding of *Besdolus ravizzarum* (Plecoptera: Perlodidae), a threatened stonefly. *Insect Science* 17: 149–153.
- Ferreira, W. R., L. T. Paiva, and M. Callisto. 2011. Development of a benthic multimetric index for biomonitoring of a neotropical watershed. *Brazilian Journal of Biology* 71(1): 15-25.
- Fochetti, R. 2011. Italian freshwater biodiversity: status, threats and hints for its conservation. *Italian Journal of Zoology* DOI:10.1080/11250003.2011.620636.
- Fochetti, R., B. Gaetani, S. Fenoglio, T. Bo, M. J. López-Rodríguez, and J. M. Tierno de Figueiroa. 2011. Systematics and biogeography of the genus *Besdolus* Ricker, 1952 (Plecoptera, Perlodidae): molecules do not match morphology. *Zootaxa* 3067: 49–58.
- Fontaine, B., K. Van Achterberg, M.A. Alonso-Zarazaga, R. Araujo, M. Asche, H. Aspöck, U. Aspöck, P. Audisio, B. Aukema, N. Bailly, M. Balsamo, R. Bank, C. Belfiore, W. Bogdanowicz, G. Boxshall, D. Burkhardt, P. Chylarecki, L. Deharveng, A. Dubois, H. Enghoff, R. Fochetti, C. Fontaine, O. Gargominy, M.S. Gómez López, D. Goujet, M.S. Harvey, P. Heller K Van Helsdingen, H. Hoch, Y. De Jong, O. Karsholt, W. Los, W. Magowski, J. Massard, S. McInnes, L. Mendes, E. Mey, V. Michelsen, A. Minelli, J.M. Nieto Nafría, E. Van Nieuwersloot, T. Pape, W. De Prins, M. Ramos, C. Ricci, C. Roselaar, E. Rota, H. Segers, T. Timm, J. Van Tol, and P. Bouchet. 2010. Non-professional taxonomists describe more than half of new animal species from Europe. *Nature* 468: 377.
- Froehlich, C. G. 2011. *Kempnyia* (Plecoptera) from the Mantiqueira Mountains of Brazil. *Zootaxa* 2999: 20–32.
- Froehlich C. G. 2011. Checklist of Plecoptera from São Paulo State, Brazil. *Biota Neotropica*, 11(1): 1-6.
- Froehlich, C. G. 2011. Notes on *Kempnyia*, with the description of three new species (Plecoptera: Perlidae). *Illiesia* 7(13): 133-141.
- Gallo, L., L. Lucadamo, M. J. López-Rodríguez, J. M. Tierno de Figueiroa, T. Bo, and S. Fenoglio. 2010. Nymphal diet of two Perlidae species (Insecta: Plecoptera) in southern Apennines (Calabria, Italy). *Boletín de la Sociedad Entomológica Aragonesa (S.E.A.)*. 46: 363–366.

Gamboa, M. 2010. Population status of insects of Plecoptera order in Sierra Nevada National Park in Venezuela and its implications for conservation planning. *Revista de Biología Tropical* 58(4): 1299-1310.

Gamboa, M. and A. J. Arrivillaga. 2010. Análisis morfométrico de cuatro especies simpátridas del género *Anacroneuria* (Plecoptera: Perlidae). [Morphometric analysis of four sympatric species of the genus *Anacroneuria* (Plecoptera: Perlidae)]. *Limnetica* 29(2): 247-256. (In Spanish)

Gazendam, E., B. Gharabaghi, F. C. Jones, and H. Whiteley. 2011. Evaluation of the Qualitative Habitat Evaluation Index as a planning and design tool for restoration of Rural Ontario Waterways. *Canadian Water Resources Journal* 36(2): 149-158.

Gerecke, R., U. Heckes, M. Hess, and E. Mauch. 2011. Limnologische Untersuchungen von Fließgewässern und Quellen am Hohen Trauchberg, Ostallgäu/Bayerische Alpen / Limnological investigations of streams and springs on the mountain range Hoher Trauchberg in the Bavarian Alps/Germany. *Lauterbornia* 73: 23-148 (In German).

Graves, P. H. III and G. M. Ward. 2011. Mayfly and stonefly distribution in the mainstem Cahaba River, Alabama. *Southeastern Naturalist* 10: 477-488.

Grubbs, S. A., and R. E. DeWalt. 2011. *Perlestes ouabache*, a new species of stonefly (Plecoptera: Perlidae) from Indiana, USA. *Aquatic Insects* 33(1): 75-79.

Grubbs, S. A. 2011. A review of stonefly (Insecta; Plecoptera) taxonomic research in Alabama, with new state records and an updated checklist. *Illiesia* 7(2): 24-30.

Gutiérrez-Fonseca, P. E., and M. Springer. 2011. Description of the final instar nymphs of seven species from *Anacroneuria* Klapálek (Plecoptera: Perlidae) in Costa Rica, and first record for an additional genus in Central America. *Zootaxa* 2965: 16-38.

Hamid, S. A. and C. S. M. Rawi. 2011. Influence of substrate embeddedness and canopy cover on the distribution of Ephemeroptera, Plecoptera and Trichoptera (EPT) in tropical rivers. *Aquatic Insects* 33(4): 281-292.

Hamid, S. A. and C. S. M. Rawi. 2011. Stoneflies (Insecta: Plecoptera) in Malaysian tropical rivers: Diversity and seasonality. *Journal of Entomology and Nematology* 3(2): 30-36.

Hanson, P., M. Springer, A. Ramirez, R. W. Flowers, C. De la Rosa, and P. E. Gutierrez-Fonseca. 2010. Introduction to aquatic macroinvertebrate groups. *Revista de Biología Tropical* 58, Supplement 4: 3-37.

Heino, J. 2011. A macroecological perspective of diversity patterns in the freshwater realm. *Freshwater Biology* 56(9): 1703-1722.

Hohmann, M. 2010. Ein Beitrag zur Kenntnis der Eintags-, Stein- und Köcherfliegen (Insecta: Ephemeroptera, Plecoptera, Trichoptera) im Nationalpark Harz (Sachsen-Anhalt) [A contribution to the knowledge of mayflies, stoneflies, and caddisflies (Insecta: Ephemeroptera, Plecoptera, Trichoptera) in the Nationalpark Harz (Sachsen-Anhalt)]. Entomologische Mitteilungen Sachsen-Anhalt, Sonderheft 2010/2: 34-54 (In German).

Hohmann, M. 2010. Untersuchungen an Wasserinsekten im Nationalpark Harz (Sachsen-Anhalt) unter besonderer Berücksichtigung von Köcherfliegen (Insecta: Trichoptera) Faunistik, Phänologie, Autökologie, Taxonomie, Bioindikation [Studies of aquatic insects in the Nationalpark Harz (Saxony-Anhalt) with special reference to caddisflies (Insecta: Trichoptera) Faunistics, phenology, autecology, taxonomy, bioindication]. – PhD thesis, University of Kassel, in German. 242 pp, plus 12 + 59 pp. in two appendices. Appendix B (Bestimmungs-Schlüssel für die deutschen, außeralpinen Steinfliegen-Larven (Insecta, Plecoptera) [Identification key for the non-Alpine In German stonefly larvae (Insecta, Plecoptera)] includes line drawings and 136 colour photographs.

Holmquist, J. G., J. R. Jones, J. Schmidt-Gengenbach, L. F. Pierotti, and J. P. Love. 2011. Terrestrial and aquatic macroinvertebrates assemblages as a function of wetland type across a mountain landscape. Arctic Antarctic and Alpine Research 43: 568-584.

Ikomi, R. B., I. O. Ajuzieogu, and F. O. Nwadukwe. 2011. Temporal and spatial variability in macroinvertebrate community structure in relation to environmental variables in Ajijiguan Creek, Niger Delta, Nigeria. African Journal of Aquatic Science, 36(1), 57-57-66.

Infante-Rodriguez, D. A., R. Novelo-Gutierrez, G. Mercado, and T. Williams. 2011. Spinosad toxicity to *Simulium* spp. larvae and associated aquatic biota in a coffee-growing region of Veracruz State, Mexico. Journal of Medical Entomology 48(3): 570-576.

Ishiwata, K., G. Sasaki, J. Ogawa, and T. Miyata. 2011. Phylogenetic relationships among insect orders based on three nuclear protein-coding gene sequences. Molecular Phylogenetics and Evolution, 58(2): 169-180.

Iwasaki, Y., T. Kagaya, K. Miyamoto, H. Matsuda, and M. Sakakibara. 2011. Effect of zinc on diversity of riverine benthic macroinvertebrates: Estimation of safe concentrations from field data. Toxicology and Chemistry 30(10): 2237-2243.

Jacquemin, G., and G. Tixier. 2010 (2011). *Nemoura sciurus* Aubert. 1949 en Lorraine: premières données françaises (Plecoptera Nemouridae). [*Nemoura sciurus* Aubert, 1949 in Lorraine, North-Eastern France: first French records]. Ephemera 12(1): 21-26.

Judson, S. W. and C. R. Nelson. 2010. Diversity, phenology, and elevational distribution of Ephemeroptera, Plecoptera, and Trichoptera in American Fork Canyon Utah. Western North American Naturalist 70(4): 526-540.

- Kalyoncu, H. and M. Zeybek. 2011. An application of different biotic and diversity indices for assessing water quality: A case study in the Rivers Çukurca and Isparta (Turkey). African Journal of Agricultural Research 6(1): 19-27.
- Kazancı, N. 2009. Records of Plecoptera (Insecta) species and affects [sic !] of episodic acidification on physico-chemical properties of their habitats in the Eastern Black Sea Region and Yeşilırmak River Basin (Turkey). Review of Hydrobiology 2: 197-206.
- Kazancı, N. 2009. Contribution to the knowledge of Plecoptera (Insecta) Fauna of Turkey. Review of Hydrobiology 1: 11-22.
- Kefford, B. J., R. Marchant, R. B. Schäfer, L. Metzeling, J. E. Dunlop, S. C. Choy, and P. Goonan. 2011. The definition of species richness used by species sensitivity distributions approximates observed effects of salinity on stream macroinvertebrates. Environmental Pollution 159(1): 302-310.
- Kjærstad, G., T. Andersen, H. A. Olsvik,.and J. E. Brittain. 2010. Ephemeroptera, Odontata, Plecoptera and Trichoptera. Pp. 227-234. In: The 2010 Norwegian Red List for Species. Trondheim, Artsdatabanken.
- Knecht, R. J., M. S. Engel, and J. S. Benner. 2011. Late Carboniferous paleoichnology reveals the oldest full-body impress of a flying insect. Proceedings of the National Academy of Sciences of the United States of America 108(16): 6515-6519.
- Kondratieff, B. C. and L. W. Myers. 2011. A new species of *Perlesta* (Plecoptera: Perlidae) from New York. Illiesia 7(21): 197-201.
- Kondratieff, B. C., R. E. Zuellig, and D. R. Lenat. 2011. A new species of *Perlesta* (Plecoptera: Perlidae) from North Carolina with additional records for North Carolina and Virginia. Illiesia 7(27): 297-301.
- Kornouchova, I. I. 2011. Prospects for the development of the amphibiotic insect fauna in the Ardon River (North Caucasus) under expanding anthropogenic pressure on environment. Pp. 123-126. In: Contemporary problems of ecology: Materials of the 5<sup>th</sup> all-Russian conference "Contemporary problems of ecology and conservation of biodiversity in Russia and adjacent countries," North Ossetian K.L. Khetagurov State University. Vladikavkaz (In Russian).
- Kornoukhova, I. I., and L. A. Khasejeva. 2010. Altitudinal zonation of amphibiotic insect distribution in the River Uruk basin (North Caucasus). Pp. 53. In: Problems of aquatic entomology in Russia and adjacent countries: Materials of the 4<sup>th</sup> all-Russian Symposium on amphibiotic and aquatic insects; 10<sup>th</sup> Trichopterological Symposium; North Ossetian K.L. Khetagurov State University, Vladikavkaz (In Russian).

Kroča, J. 2011. *Leuctra quadrimaculata* Kis, 1963 (Plecoptera; Leuctridae) in the Moravskoslezské Beskydy Mts. and Javorníky Mts. (Czech Republic). Casopis slezského zemského muzea (A) 60(1): 57-62.

Kroupalova, V., J. Bojkova, J. Schenková, P. Pařil, and M. Horsák. 2011. Small-scale distribution of aquatic macroinvertebrates in two spring fens with different groundwater chemistry. International Review of Hydrobiology 96(3): 235-256.

Lagruie, C., J. S. Kominoski, M. Danger, J-M. Baudoin, S. Lamothe, D. Lambrigot, and A. Lecerf. 2011. Experimental shading alters leaf litter breakdown in streams of contrasting riparian canopy. Freshwater Biology 56(10): 2059-2069.

Lampart-Kaluzniacka, M. and A. Śilwińska. 2011. Assessment of degree of eutrophization of Lake Trzesiecko streams based on biotic indicators. Rocznik Ochrona Srodowiska: 13: 1069-1080.

Leberfinger, K., I. Bohman, and J. Herrmann. 2011. The importance of terrestrial resource subsidies for shredders in open-canopy streams revealed by stable isotope analysis. Freshwater Biology 56(3): 470-480.

Lecci, L. S. and C. G. Froehlich. 2011. Taxonomic revision of *Gripopteryx* (Pictet, 1841) (Plecoptera: Gripopterygidae). Zootaxa 2792: 1-21.

Lecerf, A. and J. S. Richardson. 2011. Assessing the functional importance of large-bodied invertebrates in experimental headwater streams. Oikos 120(6): 950-960.

Le Doaré, J. 2010(2011). French inventory of stoneflies: some results (Plecoptera). [Inventaire des Plécoptères de France: état d'avancement du programma (Plecoptera)]. Ephemera 12(1): 55 (In French).

Lee, J. J. and R. W. Baumann. 2011. *Mesocapnia aptera* (Plecoptera: Capniidae) a new wingless winter stonefly from northern California, U.S.A. Illiesia 7(20): 192-196.

Li, J. L., Johnson, S. L., and J. B. Sobota. 2011. Three responses to small changes in stream temperature by autumn-emerging aquatic insects. Journal of the North American Benthological Society 30(2): 474-484.

Li, W. and D. Yang. 2011. A new species of *Rhopalopsole dentata* group from China (Plecoptera: Leuctridae). Transactions of the American Entomological Society 137: 199-201.

Li, W. and R. Wang. 2011. A new species of *Alloperla* (Plecoptera: Chloroperlidae) from China. Zootaxa 3040: 29-33.

Li, W. and D. Yang. 2011. Two new species of *Amphinemura* (Plecoptera: Nemouridae) from China. Zootaxa 2975: 29-34.

- Li, W., F. Kong, and D. Yang. 2011. A new species of *Rhopalopsole shaanxiensis* species group (Plecoptera, Leuctridae) from China. *Acta Zootaxonomica Sinica* 36(2): 246-248.
- Li, W., F. Kong, and D. Yang. 2011. A new species of *Capnia* (Plecoptera: Capniidae) from China. *Zootaxa* 2943: 63-68.
- Li, W., H. Wang, and W. Lu. 2011. Species of the genus *Neoperla* (Plecoptera: Perlidae) from Henan, China. *Zootaxa* 2735: 57-63.
- Li, W-H, L-M Wu and H-R. Zhang. 2011. A new species of the genus *Neoperla* (Plecoptera, Perlidae) from Henan, China. *Acta Zootaxonomica Sinica* 36(1): 33-35.
- Liu, Y., N. D. Sinitshenkova, D. Ren, and S. Chungkun. 2011. Pronemouridae fam. nov. (Insecta: Plecoptera), the stem group of Nemouridae and Notonemouridae, from the Middle Jurassic of Inner Mongolia, China. *Palaeontology* 54(4): 923-933.
- Lock, K., M. Asenova, and P. L. M. Goethals. 2011. Benthic macroinvertebrates as indicators of water quality in Bulgaria: a case-study in the Iskar River basin. *Limnologica* 41(4): 334-338.
- Long, A., W. Ashe, K. Ravana, and K. S. Simon. 2011. The effects of water velocity and sediment size on *Acroneuria abnormis* (Plecoptera: Perlidae) entrainment. *Aquatic Insects* 33(2): 105-112.
- Lubini-Ferlin, V. 2010. Wasserinsekten. Leben in zwei Welten. [Aquatic insects. Life in two worlds]. *Neujahrsblatt der Naturforschenden Gesellschaft Schaffhausen* 63: 1-70.(In German).
- Luzón-Ortega, J. M., M. J. López-Rodríguez, and J. M. Tierno de Figueroa. 2010. Confirmation of the presence of *Isoperla rivulorum* (Pictet, 1841) (Plecoptera, Perlodidae) and first data of the male drumming call in the Iberian Peninsula. Confirmación de la presencia de *Isoperla rivulorum* (Pictet, 1841) (Plecoptera, Perlodidae) y primeros datos de la llamada de tamborileo del macho en la Península Ibérica. *Boletín de la Asociación española de Entomología* 34(3-4): 441-443.
- Luzón-Ortega, J.M., M.J. López-Rodríguez, and J.M. Tierno de Figueroa. 2010. The male drumming call of *Rhabdiopteryx thienemanni* Illies (Plecoptera, Taeniopterygidae, Brachypterainae). *Entomological News* 121(5): 475-477.
- Luzón-Ortega, J.M., M.J. López-Rodríguez, and J.M. Tierno de Figueroa. 2011. First record of *Leuctra gallica* Aubert, 1953 (Plecoptera, Leuctridae) in Spain. *Boletín de la Asociación española de Entomología* 35(3-4): 493-495.

- Magoba, R. N. and M. J. Samways. 2010. Recovery of benthic macroinvertebrate and adult dragonfly assemblages in response to large scale removal of riparian invasive alien trees. *Journal of Insect Conservation* 14(6): 627-636.
- Maiolini, B., M. Carolfi, and L. Silveri. 2011. Ephemeroptera, Plecoptera and Trichoptera in springs in Trentino (southeastern Alps). *Journal of Limnology* 70 (Supplement 1): 122-133.
- Maki, A. M. 2010. Aquatic macroinvertebrate biodiversity of an Irish constructed wetland system, two years after construction. *Irish Biogeographical Society Bulletin* 34: 128-138.
- Menetrey, N., B. Oertli, and J-B. Lachavanne. 2011. The CIEPT: A macroinvertebrate-based multimetric index for assessing the ecological quality of Swiss lowland ponds. *Ecological Indicators* 11(2): 590-600.
- Menninger, H. 2011. Winter stoneflies sure are supercool. *Scientific American Guest Blog*. <http://blogs.scientificamerican.com/guest-blog/2011/02/24/winter-stoneflies-sure-are-supercool/>
- Merriam, E. R., J. T. Petty, G. T. Merovich, Jr., J. B. Fulton, and M. P. Strager. 2011. Additive effects of mining and residential development on stream conditions in a central Appalachian watershed. *Journal of the North American Benthological Society* 30(2): 399-418.
- Milner, A. M., A. L. Robertson, L. E. Brown, S. H. Sønderland, M. McDermott, and A. J. Veal. 2011. Evolution of a stream ecosystem in recently deglaciated terrain. *Ecology* 92(10): 1924-1935.
- Móra, A, I. Szivák, C. Deak, R. Boda, Z. Csabai, P. Sály, P. Takács, T. Erös, and P. Bíró. 2011. Environmental factors influencing the distribution of EPT assemblages in streams of Lake Balaton's catchment area, Hungary. *Zoosymposia* 5: 360-371.
- Mordecai, R. S., B. J. Mattsson, C. J. Tzilkowski, and R. J. Cooper. 2011. Addressing challenges when studying mobile or episodic species: hierarchical Bayes estimation of occupancy and use. *Journal of Applied Ecology* 48(1): 56-66.
- Moya, N., E. Dominguez, E. Goitia, and T. Oberdorff. 2011. Development of a multimetric index based on aquatic macroinvertebrates to assess the biological integrity in streams of the Bolivian inter-Andean valleys. *Ecologica Austral* 21(2): 135-147.
- Muhlfeld, C.C., J. Giersch, F. R. Hauer, G. T. Pederson, G. Luikart, D. P. Peterson, C. C. Downs, and D. B. Fagre. 2011. Climate change links fate of glaciers and an endemic alpine invertebrate. *Climatic Change* 106(2): 337-345.

Mundahl, N. D. and A. M. Hunt. 2011. Recovery of stream invertebrates after catastrophic flooding in southeastern Minnesota, USA. *Journal of Freshwater Ecology* 26(4): 445-457.

Müller, H. J. and P. Zwick. 2011. Plecoptera: Steinfliegen. Tafeln 91-93 in Bährmann, R. (Hrsg.): Bestimmung wirbelloser Tiere. Bildtafeln für zoologische Bestimmungsübungen und Exkursionen. Begründet von Hans Joachim Müller. [Identification of invertebrates. Plates for zoological identification courses and field work. Founded by Hans Joachim Müller]. 6th ed., XVI + 390 pp., Spektrum Akademischer Verlag, Heidelberg (In German).

Murányi, D. and S. J. Park. 2011. Contribution to the fall stonefly (Plecoptera) fauna of Korea. *Illiesia* 7(6): 70-85.

Murányi, D. 2011. The first record of a Far East stonefly (Plecoptera) from Central Asia. *Illiesia* 7(23): 259-263.

Murányi, D. 2011. The genus *Brachyptera* Newport (Plecoptera: Taeniopterygidae) in the Peloponnes, Greece. *Zootaxa* 2977: 61–68.

Murányi, D. 2011. Balkanian species of the genus *Isoperla* Banks, 1906 (Plecoptera: Perlodidae). *Zootaxa* 3049: 1–46.

Myers, L., B. C. Kondratieff, T. B. Mihuc, and D. E. Ruiter. 2011. The mayflies (Ephemeroptera), stoneflies (Plecoptera), and caddisflies (Trichoptera) of the Adirondack Park (New York State). *Transactions of the American Entomological Society* 137: 63–140.

Mynott, J. H., J. M. Webb, and P. J. Suter. 2011. Adult and larval associations of the alpine stonefly genus *Riekoperla* McLellan (Plecoptera : Gripopterygidae) using mitochondrial DNA. *Invertebrate Systematics* 25(1): 11-21.

Oberrisser, P. and J. Waringer. 2011. Larval salamanders and diel drift patterns of aquatic invertebrates in an Austrian stream. *Freshwater Biology* 56(6): 1147-1159.

Oliveira, R. B. S., D. F. Baptista, R. Mugnai, C. M. Castro, and R. M. Hughes. 2011. Towards rapid bioassessment of wadeable streams in Brazil: development of the Guapiacu-Macau Multimetric Index (GMMI) based on benthic macroinvertebrates. *Ecological Indicators* 11(6): 1584-1593.

Parks, J. M. B., J. Sircom, and S. J. Walde. 2011. Invertebrate mesopredators are larger in streams with fish. *Aquatic Ecology* 45(2): 243-253.

Parkyn, S. M. and B. J. Smith. 2011. Dispersal constraints for stream invertebrates: Setting realistic timescales for biodiversity restoration. *Environmental Management* 48(3): 602-614.

Peralta-Maraver, I., M. J. López-Rodríguez, S. Fenoglio, T. Bo, J. M. Luzón-Ortega, and J. M. Tierno de Figueroa. 2011. Macroinvertebrate colonization of two different tree species leaf packs (native vs introduced) in a Mediterranean stream. *Journal of Freshwater Ecology* 26(4): 495-505.

Pereira da Silva, N. A., M. R. Frizzas, and C. M. de Oliveira. 2011. Seasonality in insect abundance in the "Cerrado" of Goias State, Brazil. *Revista Brasileira de Entomologia* 55(1): 79-87.

Pilgrim, E. M., S. A. Jackson, S. Swenson, I. Turcsanyi, E. Friedman, L. Weigt, and M. J. Bagley. 2011. Incorporation of DNA barcoding into a large-scale biomonitoring program: opportunities and pitfalls. *Journal of the North American Benthological Society* 30(1): 217-231.

Puig García, M.A., N. Ubero-Pascal, V. Amore, and R. Fochetti. 2010. Estrategias de supervivencia ante el cambio global. Las especies de efemerópteros y plecópteros del Parque Nacional de Aigüestortes. [Survival strategies to global change. The species of Ephemeroptera and Plecoptera of the Aigüestortes National Park. Pp. 233-251. In: Ramírez, L. and B. Asensio (eds), Proyectos de Investigación en Parques Nacionales: 2007-2010. Organismo Autónomo de Parques Nacionales, Madrid (In Spanish)

Qian, Y-H., and Y-Z. Du. 2011. Two new species of genus *Rhopalopsole* (Insecta, Plecoptera, Leuctridae) from China. *ZooKeys* 154: 1-7.

Ramírez L. and B. Asensio (Eds.). Proyectos de investigación en parque nacionales 2007-2010. Organismo Autónomo Parques Nacionales, Madrid. 312 pp.

Răescu, C-R., and M. Dumbravă-Dodoacă, and M. Petrovici. 2011. Macrozoobenthic community structure and dynamics in Cerna River (western Romania). *AACL Bioflux* 4(1): 79-79-87.

Ramchunder, S. J., L. E. Brown, J. Holden, and R. Langton. 2011. Spatial and seasonal variability of peatland stream ecosystems. *Ecohydrology, Special Issue* 4(4): 577-588.

Ravizza, C. 2011. Seasonal emergences and coenotic distribution patterns of Plecoptera in a northern Italian Apennines brooklet. *Bollettino della Società Entomologica Italiana* 143(2): 51-57.

Ren, G-D. and J. Ning. 2011. Differentiation and phylogeny of metathoracic pleural sclerites in selected pterygote insects. *Entomotaxonomia* 33(2): 81-93.

Rodriguez-Barrios, J., R. Ospina-Torres, and R. Turizo-Correa. 2011. Functional feeding groups of macroinvertebrates in Gaira River, Columbia. *Revista de Biología Tropical* 59(4): 1537-1552.

Rondineli, G., A. L. Carmassi, and F. M. de Souza Braga. 2011. Biological information of *Taunayia bifasciata* (Siluriformes: Heptapteridae): a threatened and unknown catfish. *Zoologia* 28(4): 541-544.

Rosa, B. F. J. V., M. V. D. da Silva, V. C. de Oliveira, R. T. Martins, and R. da G. Alves. 2011. Macroinvertebrates associated with Bryophyta in a first-order Atlantic Forest stream. *Zoologia* 28(3): 351-356.

Rúa, J., J. Garrido, and J. M. Tierno de Figueroa. 2010. Nymphal feeding habits of *Siphonoperla torrentium* (Plecoptera, Chloroperlidae) from North-Western Spain. *Vie et Milieu-Life and Environment* 61(2): 95-99.

Ruffoni, A. and J. LeDoaré. 2010(2011). Observation de *Perlodes dispar* (Rambur, 1842) sur le cours d'e la Loire en Bourgogne (France) (Plecoptera, Perlodidae). [Records of *Perlodes dispar* (Rambur, 1842) in the Loire catchment in Burgundy (France) (Plecoptera, Perlodidae)]. *Ephemera* 12(1): 43-49. (In French)

Saika, B. B. 2011. The stoneflies (Insecta Ectognatha, Plecoptera) of Maliy Enisey River (Tyva). (2011). *Evraziatskii Entomologicheskii Zhurnal*, 10(1): 10-14 (In Russian).  
<http://elibrary.ru/item.asp?id=15585064>

Sandberg, J. B. 2011. Vibrational communication of *Isoperla* Banks from California and Oregon (Plecoptera: Perlodidae). *Illiesia* 7(1): 1-23.

Sandberg, J. B. 2011. Vibrational communication of nine California stonefly (Plecoptera) species. *Western North American Naturalist* 71: 285-301.

Sandberg, J. B. 2011. Vibrational communication of seven California stoneflies (Plecoptera: Perlodidae). *Pan-Pacific Entomologist* 87(2): 71-85.

Sandberg, J. B. 2011. The *Isoperla* of California (Plecoptera: Perlodidae); larval descriptions and a key to 17 western Nearctic species. *Illiesia* 7(22): 202-258.

Sanz, A., C. E. Trenzado, M. J. López-Rodríguez, M. Furné, and J. M. Tierno de Figueroa. 2010. Study of antioxidant defense in four species of Perloidea (Insecta, Plecoptera). *Zoological Science* 27: 952-958.

Schneider, C., K. Ekschmitt, V. Wolters and K. Birkhofer. 2011. Ring-based versus disc-based separation of spatial scales: A case study on the impact of arable land proportions on invertebrates in freshwater streams. *Aquatic Ecology* 45(3): 351-356.

Scott, R. W., D. R. Barton, M. S. Evans, and J. J. Keating. 2011. Latitudinal gradients and local control of aquatic insect richness in a large river system in northern Canada. *Journal of the North American Benthological Society* 30(3): 621-634.

- Shepard, W. D. and R. W. Baumann. 2011. Canopy fogging in the Valdivian forest of southern Chile produces stoneflies (Plecoptera). *Illiesia* 7(12): 127-132.
- Shimano, Y., H. S. R. Cabette, F. F. Salles, and L. Juen. 2010. Composition and distribution of Ephemeroptera (Insecta) in Cerrado-Amazonia transition area, Brazil. *Iheringia Serie Zoologia* 100(4): 301-308.
- Shiolashvili, M. N., L. A. Zhiltzova, N. D. Sinitshenkova, and S. K. Cherchesova. 2010. Peculiarities in the structure of the respiratory apparatus of larval Plecoptera of the fauna of Russia and adjacent lands. PP. 136-142. In: Problems of aquatic entomology in Russia and adjacent countries: Materials of the 4<sup>th</sup> all-Russian Symposium on amphibiotic and aquatic insects; 10<sup>th</sup> Trichopterological Symposium; North Ossetian K.L. Khetagurov State University, Vladikavkaz (In Russian).
- Silva, N. D., R. C. H. Soarers, and J. Leandro. 2011. Structure and composition of Trichoptera (Insecta) community in streams and wetlands of Suia-Micu River Basin. *Iheringia Serie Zoologia* 101: 173-180.
- Sinitshenkova, N. D. 2010. Variation of wing venation in fossil stoneflies. Pp. 105-109. In: Problems of aquatic entomology in Russia and adjacent countries: Materials of the 4<sup>th</sup> all Russian Symposium on amphibiotic and aquatic insects; 10<sup>th</sup> Trichopterological Symposium; North Ossetian K.L. Khetagurov State University, Vladikavkaz (In Russian).
- Sinitshenkova, N. D. 2011. The role of stoneflies in the benthos of running waters in the Permian period. Pp. 137-141 In: Contemporary problems of ecology: Materials of the 5<sup>th</sup> all Russian conference "Contemporary problems of ecology and conservation of biodiversity in Russia and adjacent countries," North Ossetian K.L. Khetagurov State University. Vladikavkaz (In Russian).
- Sinitshenkova, N. D. 2011. New stoneflies (Insecta: Perlida = Plecopetra) from the late Mesozoic locality Khasury, Transbaikalia. *Paeleontological Journal* 45(5): 552-558.
- Sivec, I. and B. P. Stark. 2011. New Species of *Neoperla* Needham and *Phanoperla* Banks (Plecoptera: Perlidae) from the Philippine Islands. *Illiesia* 7(24): 264-279.
- Smokorowski, K. E., R. A. Metcalfe, S. D. Finucan, N. Jones, J. Marty, M. Power, R. S. Pyrce, and R. Steele. 2011. Ecosystem level assessment of environmentally based flow restrictions for maintaining ecosystem integrity: a comparison of a modified peaking versus unaltered river. *Ecohydrology* 4: 791-806.
- Soucek, D. J., A. Dickinson, and B. T. Koch. 2011. Acute and chronic toxicity of boron to a variety of freshwater organisms. *Environmental Toxicology and Chemistry* 30(8): 1906-1914.

Stark, B.P. 2011. *Macrogynoplax duida*, a new species of stonefly (Plecoptera: Perlidae) from Cerro Duida, Venezuela. *Illiesia* 7(7): 86-88.

Stark, B. P. and R. W. Baumann. 2011. Records of *Anacroneuria* (Plecoptera: Perlidae) from Bolivia and Paraguay with descriptions of three new species. *Illiesia* 7(19): 182-191.

Stark, B. P. and S. Green. 2011. Eggs of western Nearctic Acroneuriinae (Plecoptera: Perlidae). *Illiesia* 7(17): 157-166.

Stark, B. P. and I. Sivec. 2011. *Neoperla* of unusual size from Vietnam (Plecoptera: Perlidae). *Illiesia* 7(28): 302-304.

Stark, B. P., B. C. Kondratieff, R. F. Kirchner, and K. W. Stewart. 2011. Larvae of eight Eastern North American *Sweltsa* (Plecoptera: Chloroperlidae). *Illiesia* 7(4): 51-64.

Stevens, D. M. 2009. Systematics of the Notonemouridae (Plecoptera) of southern Africa PhD-Thesis, University of Cape Town, South Africa. XVI + 353 pp.

Stewart, K. W. and B. P. Stark. 2011. Further descriptions of western North American *Podmosta* larvae and their separation from *Ostrocerca* larvae (Plecoptera: Nemouridae). *Illiesia* 7(10): 104-117.

Stewart, K. W., E. F. Drake, and B. P. Stark. 2011. Larvae of five species of the winter stonefly genus *Capnia* (Plecoptera: Capniidae) from California, U.S.A. *Illiesia* 7(18): 167-181.

Storey, R. G. and J. M. Quinn. 2011. Life histories and life history strategies of invertebrates inhabiting intermittent streams in Hawke's Bay, New Zealand. *New Zealand Journal of Marine and Freshwater Research* 45(2): 213-230.

Storey, R. G., S. Parkyn, M. W. Neale, T. Wilding, and G. Croker. 2011. Biodiversity values of small headwater streams in contrasting land uses in the Auckland region. *New Zealand Journal of Marine and Freshwater Research* 45(2): 231-248.

Sundermann, A., C. Antons, N. Cron, A. W. Lorenz, D. Hering, and P. Haase. 2011. Hydromorphological restoration of running waters: effects on benthic invertebrate assemblages. *Freshwater Biology* 56(8): 1689-1702.

Suriano, M. T., A. A. Fonseca-Gessner, F. O. Roque, and C. G. Froehlich. 2011. Choice of macroinvertebrate metrics to evaluate stream conditions in Atlantic forest, Brazil. *Environmental Monitoring and Assessment*, 175(1-4): 87-101.

Tarter, D.C. and C. H. Nelson. 2010 [2011]. New state, county, and drainage basin records of West Virginia (USA) stoneflies (Plecoptera). *Entomological News* 121: 159-162.

Theischinger, G., J. Miller, C. Tang, M. Krogh, and E. Pope. 2011. The benefits of using both adult and larval stoneflies (Plecoptera) in environmental surveys: An example from New South Wales with a summary of the Australian stonefly fauna. *Australian Entomologist* 38: 1-20.

Theißinger-Theobald, K. 2011. Comparative phylogeography of two co-distributed arctic-alpine freshwater insect species in Europe. PhD Thesis, University of Mainz, Germany. <http://ubm.opus.hbz-nrw.de/volltexte/2011/2873/pdf/doc.pdf>

Tierno de Figueroa, J. M. and M. J. López-Rodríguez. 2010. *Protonemura gevi* sp. n., a cavernicolous new species of stonefly (Insecta: Plecoptera). *Zootaxa* 2365: 48-54.

Tierno de Figueroa, J. M., B. Gaetani, J. M. Luzón-Ortega, M. J. Lopez-Rodríguez, and R. Fochetti. 2011. On the identity of *Isoperla curtata* (Plecoptera: Perlodidae): behavioural and molecular approaches show the existence of two separate species. *Zootaxa* 3000: 49-58.

Tierno de Figueroa, J. M. and M. J. López-Rodríguez. 2011. Families Perlodidae, Perlidae, Chloroperlidae, Taeniopterygidae, Nemouridae, Capniidae and Leuctridae. Pp. 84-87. In: Oscoz, J., Galicia, D., and R. Miranda (Eds.), *Identification Guide of Freshwater Macroinvertebrates of Spain*. Springer, Dordrecht.

Tierno de Figueroa, J. M. and M. J. López-Rodríguez. 2011. *Leuctra bidula* Aubert, 1962. Pp. 1207-1211. In: Verdú, J. R., C. Numa, and E. Galante, E. (Eds.), *Atlas y Libro Rojo de los Invertebrados Amenazados de España (Especies Vulnerables)*. Dirección General de Biodiversidad, Ministerio de Medio Ambiente, Medio Rural y Marino, Madrid (In Spanish).

Tierno de Figueroa, J. M. and M. J. López-Rodríguez. 2011. *Nemoura rifensis* Aubert, 1961. Pp. 1212-1215. In: Verdú, J. R., C. Numa, and E. Galante, E. (Eds.), *Atlas y Libro Rojo de los Invertebrados Amenazados de España (Especies Vulnerables)*. Dirección General de Biodiversidad, Ministerio de Medio Ambiente, Medio Rural y Marino, Madrid (In Spanish).

Tierno de Figueroa, J. M. and M. J. López-Rodríguez. 2011. *Protonemura gevi* Tierno de Figueroa & López-Rodríguez, 2010. Pp. 1216-1219. In: Verdú, J. R., C. Numa, and E. Galante, E. (Eds.), *Atlas y Libro Rojo de los Invertebrados Amenazados de España (Especies Vulnerables)*. Dirección General de Biodiversidad, Ministerio de Medio Ambiente, Medio Rural y Marino, Madrid (In Spanish).

Tierno de Figueroa, J. M., C. E. Trenzado, M. J. López-Rodríguez, and A. Sanz. 2011. Digestive enzyme activity of two stonefly species (Insecta, Plecoptera) and their feeding habits. *Comparative Biochemistry and Physiology, Part A* 160: 426-430.

- Tierno de Figueroa, J. M., J. M. Luzón-Ortega, and M. J. López-Rodríguez. 2011. Intraspecific and interspecific variation in drumming signals in the genus *Capnioneura* (Plecoptera: Capniidae). *Aquatic Insects* 33(4): 335-341.
- Tierno de Figueroa, J. M., M. J. López-Rodríguez, A. Lorenz, W. Graf, A. Schmidt-Kloiber, and D. Hering. 2010. Vulnerable taxa of European Plecoptera (Insecta) in the context of climate change. *Biodiversity and Conservation* 19:1269-1277.
- Torii, T., K. Saitou, and M. Himura. 2011. Benthic macro-invertebrate fauna of the Sagami River system and cluster analysis for grasping the river ecosystem on basin scale. *Natural History Report of Kanagawa* 32: 91-100.
- Törnblom J., E. Degerman, and P. Angelstam. 2011. Forest proportion as indicator of ecological integrity in streams using Plecoptera as a proxy. *Ecological Indicators* 11(5): 1366-1374.
- Törnblom, J., J. M. Roberge, and P. Angelstam. 2011. Rapid assessment of headwater stream macroinvertebrate diversity: an evaluation of surrogates across a land-use gradient. *Fundamental and Applied Limnology* 178(4): 287-300.
- Törnblom J., P. Angelstam, E. Degerman, L. Henrikson, T. Edman, and J. Temnerud. 2011. Catchment land cover as a proxy for macroinvertebrate assemblage structure in Carpathian Mountain streams. *Hydrobiologia* 673(1): 153-168.
- Tsopanova, K. K., V. O. Bjassov, and S. V. Katajev. 2010. Stoneflies (Plec.) in the benthic structure of the Ursdon river. Pp. 122-124. *In: Problems of aquatic entomology in Russia and adjacent countries: Materials of the 4<sup>th</sup> all-Russian Symposium on amphibiotic and aquatic insects; 10<sup>th</sup> Trichopterological Symposium; North Ossetian K.L. Khetagurov State University, Vladikavkaz (In Russian).*
- Uchida, S., B. P. Stark, and I. Sivec. 2011. *Xanthoneuria*, a new genus of stonefly (Plecoptera: Perlidae) from Japan. *Illiesia* 7(5): 65-69.
- Verberk, W. C. E. P. and D. T. Bilton. 2011. Can oxygen set thermal limits in an insect and drive gigantism? *PLOS ONE* 6(7): E22610 doi: 10.1371/Journal.pone.0022610
- Vinçon, G. and W. Graf. 2011. Two new alpine *Leuctra* in the *L. braueri* species group (Plecoptera, Leuctridae). *Illiesia* 7(9): 92-103.
- Vinçon, G. and I. Sivec. 2011. Contribution to the knowledge of the Capniidae (Plecoptera) of Turkey. *Illiesia* 7(11): 118-126.
- Vinçon, G., and I. Sivec. 2011. Designation of a replacement name for *Capnioneura veronicae* nomen nudum (Capniidae Plecoptera). *Illiesia* 7(16): 156.

Vieira, N. K. M., T. R. Barnes, and K. A. Mitchell. 2011. Effects of wildfire and postfire floods on stonefly detritivores of the Pajarito Plateau, New Mexico. *Western North American Naturalist* 71(2): 257-270.

Wagenhoff, A., C. R. Townsend, N. Phillips, and C. D. Matthaei. 2011. Subsidy-stress and multiple-stressor effects along gradients of deposited fine sediment and dissolved nutrients in a regional set of streams and rivers. *Freshwater Biology* 56(9): 1916-1936.

Wahizatul, A. A., S. H. Long, and A. Ahmad. 2011. Composition and distribution of aquatic insect communities in relation to water quality in two freshwater streams of Hulu Terengganu, Terengganu. *Journal of Sustainability Science and Management* 6(1): 148-155.

Walters, K. R., Jr., A. S. Serianni, Y. Voituron, T. Sformo, B. Barnes, and J. G. Duman. 2011. A thermal hysteresis-producing xylomannan glycolipid antifreeze associated with cold tolerance in diverse taxa. *Journal of Comparative Physiology, B Biochemical Systemic and Environmental Physiology* 181(5): 631-640.

Weigel, B. M. and J. J. Dimick. 2011. Development, validation, and application of a macroinvertebrate-based Index of Biotic Integrity for nonwadeable rivers of Wisconsin. *Journal of the North American Benthological Society* 30(3): 665-679.

Wolf, B. and R. Angersbach. 2011. *Brachyptera braueri* (Klapálek, 1900) (Plecoptera, Taeniopterygidae) – neu für Hessen /*Brachyptera braueri* (Klapálek, 1900) (Plecoptera, Taeniopterygidae) – a new species for Hesse, Germany. *Lauterbornia* 72: 59-61 (In German).

Wongsanoon, J., A. Jatisatiennr, P. Mungkornasawakul, and P. Chitchoi. 2011. Aquatic-insect-based biotic indices to assess water quality in Klong Pae, Rajjaprabha Dam, Surat Thani Province 2008-2009. *Chiang Mai Journal of Science* 38(3): 463-472.

Wooster, D. E., S. J. DeBano, and A. Madsen. 2011. Predators are more important than conspecifics and water temperature in influenceing the microdistribution and behavior of a detritivorous stonefly. 2011. *Fundamental and Applied Limnology* 179(3) 215-223.

Wu, D. and D. Legg. 2011. Responses of benthic insect communities to effluent from the abandoned Ferris-Haggarty copper mine in southeast Wyoming, USA. *Journal of Environmental Sciences-China* 23(11): 1894-1903.

Yakimov, A. V., S. K. Cherchesova, and V. D. Lvov. 2011. The stonefly *Protonemura aculeate* [sic] Theischinger, 1975 (Plecoptera) under conditions in the Kabardino-Balkarskian Republic (Central Caucasus). Pp.163-167. In: Contemporary problems of ecology: Materials of the 5<sup>th</sup> all-Russian conference "Contemporary problems of ecology and conservation of biodiversity in Russia and adjacent countries," North Ossetian K.L. Khetagurov State University. Vladikavkaz (In Russian).

- Yoshizawa, K. 2011. Monophyletic Polyneoptera recovered by wing base structure. *Systematic Entomology* 36(3): 377-394.
- Yuichi, I., K. Takashi, K-I. Miyamoto, H. Matsuda, and M. Sakakibara. 2011. Effect of zinc on diversity of riverine benthic macroinvertebrates: estimation of safe concentrations from field data. *Environmental Toxicology and Chemistry* 30: 2237-2243.
- Zaika, V.V. 2011. The stoneflies (Insecta Ectognatha, Plecoptera) of Maliy Enisey River (Tyva). *Evraziatskii Entomologicheskii Zhurnal* 10(1): 10-14.
- Zeybek, M. 2011. An application of different biotic and diversity indices for assessing water quality: A case study in the rivers Cukurca and Isparta (Turkey). *African Journal of Agricultural Research* 6(1): 19-27.
- Zhiltzova, L. A. 2010. To the study of the stonefly (Insecta, Plecoptera) fauna of the river Volga basin. Pp. 38-40. In: Problems of aquatic entomology in Russia and adjacent countries: Materials of the 4<sup>th</sup> all-Russian Symposium on amphibiotic and aquatic insects; 10<sup>th</sup> Trichopterological Symposium; North Ossetian K.L. Khetagurov State University, Vladikavkaz (In Russian).
- Zhiltzova, L. A. 2011. Contribution to the stonefly (Plecoptera) fauna of the Volga and Don River basins. *Entomologicheskoje Obozrenije* 40(2): 295-298.
- Zhiltzova, L. A., S. K. Cherchesova, S. V. Kataev, and V. O. Biasov. 2011. Description of the larva of Caucasian species *Pontoperla katherinae* Balinsky (Plecoptera, Chloroperlidae). *Illiesia*, 7(8): 89-91.
- Zlatko, P. 2011. Species traits predict assembly of mayfly and stonefly communities along pH gradients. *Oecologia* 167(2): 513-524.
- Zwick, P. 2011. Polymorphism and taxonomic problems in the *Perlodes microcephalus* group (Plecoptera: Perlodidae); *Perlodes mortoni* removed from synonymy. *Illiesia* 7: 291-296.
- Zwick, P. 2011. 7.6 Arthropoda [excl. Trichoptera, Diptera]. Pp. 216-327. In: Central European stream ecosystems. The long term study of the Breitenbach. R. Wagner, J. Marxsen, P. Zwick, and E. J. Cox. (eds). Wiley-Blackwell. Weinheim. XXI + 672 pp.
- Zwick, P. and R. W. Baumann. 2011. *Nemoura jejudoensis* a new species of stonefly and the redescription of *Amphinemura baei* Ham and Lee (Plecoptera, Nemouridae) from Jeju Island, Korea. *Illiesia* 7(15): 148-155.

# ZOBODAT - [www.zobodat.at](http://www.zobodat.at)

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Perla](#)

Jahr/Year: 2012

Band/Volume: [30](#)

Autor(en)/Author(s): Redaktion

Artikel/Article: [Recent Plecoptera Literature 23-43](#)