

## Additional lichens and some lichenicolous fungi from the Una National Park (Bosnia and Herzegovina)

Peter O. BILOVITZ<sup>1\*</sup>, Roman TÜRK<sup>2</sup> & Helmut MAYRHOFER<sup>1</sup>

BILOVITZ P.O., Türk R. & MAYRHOFER H. 2010: Additional lichens and some lichenicolous fungi from the Una National Park (Bosnia and Herzegovina). - *Fritschiana* (Graz) 67: 27–32. – ISSN 1024-0306

**Abstract:** A list of 62 taxa (61 species) of lichens and 7 species of lichenicolous fungi from the Una National Park in the north-western part of Bosnia and Herzegovina is presented. The lichens *Caloplaca crenulatella*, *Dimerella pineti*, *Lecanora expallens*, *Lopadium disciforme*, *Placynthiella icmalea*, *Toninia athallina* and the lichenicolous fungi *Abrothallus bertianus*, *A. parmeliarum*, *Cornutispora lichenicola*, *Endococcus rugulosus*, and *Sphaerellothecium parmeliae* are new to Bosnia and Herzegovina.

<sup>1</sup>Institute of Plant Sciences, Karl-Franzens-University Graz, Holteigasse 6, A-8010 Graz, AUSTRIA

<sup>2</sup>Department of Organismic Biology, University of Salzburg, Hellbrunnerstraße 34, A-5020 Salzburg, AUSTRIA

\*Corresponding author (E-mail: [pe.bilovitz@uni-graz.at](mailto:pe.bilovitz@uni-graz.at))

### Introduction

Out of the three National Parks in Bosnia and Herzegovina (i.e. Sutjeska, Kozara, Una) the Una National Park, founded in 2008, is the most recent one. It covers 19,800 ha and is located in the Una-Sana Canton close to the city Bihać in the north-western part of Bosnia and Herzegovina near the border with Croatia (Fig. 1).

There are only few recent floristic papers dealing with the lichen flora of Bosnia and Herzegovina (CHRISTENSEN 1994, WECKESSER & VISNJIĆ 2005, BILOVITZ & MAYRHOFER 2009, BILOVITZ et al. 2009, BILOVITZ & MAYRHOFER 2010).

BILOVITZ et al. (2009) report 57 taxa of lichens (56 species) from the Una National Park. In the present contribution we add 39 new lichenized and 7 lichenicolous fungi, so there is a total of 96 taxa of lichens (95 species) and 7 lichenicolous fungi.

## Material and methods

The lichenized and lichenicolous fungi presented in this paper are based on a lichen collection made by Matthias SCHWAHN, who visited the Una National Park in October 2009.

The specimens have been identified (using routine light microscopy techniques) mainly with the aid of HAWKSWORTH (1983), WIRTH (1995) and IHLEN & WEDIN (2008). Some of the identifications required verification by using standardized thin-layer chromatography (TLC) following the protocols of WHITE & JAMES (1985) and ORANGE et al. (2001).

The specimens are preserved in the herbarium of the Institute of Plant Sciences, Karl-Franzens-University Graz (GZU), a smaller number of duplicates is housed at the University of Bihać.

The nomenclature follows NIMIS & MARTELOS (2003), SANTESSON et al. (2004) or other modern treatments. New records for Bosnia and Herzegovina are marked with an asterisk (\*).




Fig. 1. Location of the Una National Park

## List of sampling locations

Bosnia and Herzegovina, NW-Bosnia, Una-Sana, Una National Park, ...

01	SE of Kulen Vakuf, surroundings of the mountain Osjecenica, 1370–1390 m, N 44°30,270'–44°30,292', E 16°15,490'–16°15,534', mixed woodland, 10.X.2009, leg. M. Schwahn.
02	SE of Kulen Vakuf, surroundings of the mountain Osjecenica, 1450 m, N 44°30,496', E 16°15,204', mixed woodland, 10.X.2009, leg. M. Schwahn.
03	SE of Kulen Vakuf, surroundings of the mountain Osjecenica, 1080 m, N 44°30,823', E 16°13,233', rock-ridden pasture, 10.X.2009, leg. M. Schwahn.

## List of substrates and their abbreviations

Abi alb	<i>Abies alba</i>
Ace pse	<i>Acer pseudoplatanus</i>
Fag syl	<i>Fagus sylvatica</i>
cal	on calcareous rocks, in rock crevices
mus	on mosses
mus-cal	on mossy calcareous rocks

## List of lichenized fungi

*Aspicilia contorta* (Hoffm.) Kremp.: 03 (cal)

*Buellia griseovirens* (Turner & Borrer ex Sm.) Almb.: 01 (Fag syl), 02 (Abi alb, Ace pse)

*Calicium abietinum* Pers.: 02 (Abi alb)

\**Caloplaca crenulatella* (Nyl.) H.Olivier: 03 (cal)

*Caloplaca herbidella* (Hue) H.Magn.: 01 (Ace pse), 02 (Ace pse)

*Caloplaca variabilis* (Pers.) Müll.Arg.: 03 (cal)

*Candelariella aurella* (Hoffm.) Zahlbr.: 03 (cal)

*Cladonia coniocraea* (Flörke) Spreng.: 01 (Abi alb)

*Cladonia fimbriata* (L.) Fr.: 02 (Abi alb)

*Cladonia polydactyla* (Flörke) Spreng.: 02 (Abi alb)

*Cladonia pyxidata* (L.) Hoffm.: 01 (mus), 02 (Fag syl)

*Collema cristatum* (L.) Weber ex F.H.Wigg.: 03 (mus-cal)

\**Dimerella pineti* (Ach.) Vězda: 02 (Abi alb)

*Evernia divaricata* (L.) Ach.: 01 (Fag syl)

- Fuscidea stiriaca* (A.Massal.) Hafellner: 01 (Fag syl)
- Hypogymnia farinacea* Zopf: 01 (Fag syl)
- Hypogymnia physodes* (L.) Nyl.: 01 (Abi alb, Fag syl), 02 (Abi alb)
- Hypogymnia tubulosa* (Schaer.) Hav.: 02 (Abi alb)
- Lecanora argentata* (Ach.) Malme: 01 (Fag syl), 02 (Ace pse)
- Lecanora carpinea* (L.) Vain.: 02 (Ace pse)
- Lecanora chlarotera* Nyl.: 01 (Abi alb, Fag syl), 02 (Abi alb, Ace pse)
- \**Lecanora expallens* Ach.: 02 (Abi alb)
- Lecanora horiza* (Ach.) Linds.: 01 (Fag syl)
- Lecanora persimilis* (Th.Fr.) Nyl.: 02 (Abi alb)
- Lecanora pulicaris* (Pers.) Ach.: 02 (Abi alb)
- Lecanora subrugosa* Nyl.: 02 (Fag syl)
- Lecidella achrostotera* (Nyl.) Hertel & Leuckert: 02 (Ace pse)
- Lepraria rigidula* (de Lesd.) Tønsberg: 01 (Ace pse), 02 (Abi alb)
- Lobaria pulmonaria* (L.) Hoffm.: 01 (Ace pse), 02 (Ace pse)
- \**Lopadium disciforme* (Flot.) Kullh.: 02 (Ace pse)
- Melanelixia fuliginosa* (Fr. ex Duby) O.Blanco et al. subsp. *fuliginosa*: 01 (Ace pse)
- Melanelixia fuliginosa* subsp. *glabratula* (Lamy) J.R.Laundon: 01 (Ace pse), 02 (Ace pse)
- Melanelixia subaurifera* (Nyl.) O.Blanco et al.: 01 (Ace pse), 02 (Ace pse)
- Melanohalea exasperatula* (Nyl.) O.Blanco et al.: 02 (Abi alb)
- Nephroma resupinatum* (L.) Ach.: 02 (Ace pse)
- Ochrolechia subviridis* (Høeg.) Erichsen: 01 (Ace pse)
- Parmelia saxatilis* (L.) Ach.: 01 (Abi alb, Ace pse, Fag syl), 02 (Abi alb, Ace pse)
- Parmelia sulcata* Taylor: 01 (Ace pse), 02 (Ace pse)
- Parmeliella triptophylla* (Ach.) Müll.Arg.: 02 (Ace pse)
- Parmeliopsis ambigua* (Wulfen) Nyl.: 01 (Abi alb, Fag syl), 02 (Abi alb)
- Parmeliopsis hyperopta* (Ach.) Arnold: 02 (Abi alb, Fag syl)
- Pertusaria albescens* (Huds.) M.Choisy & Werner: 01 (Ace pse, Fag syl), 02 (Ace pse)
- Pertusaria amara* (Ach.) Nyl.: 01 (Fag syl), 02 (Abi alb, Ace pse)
- Pertusaria coccodes* (Ach.) Nyl.: 02 (Abi alb)
- Pertusaria coronata* (Ach.) Th.Fr.: 02 (Ace pse)
- Pertusaria flavida* (DC.) J.R.Laundon: 01 (Ace pse), 02 (Ace pse)
- Pertusaria pertusa* (Weigel) Tuck.: 01 (Fag syl), 02 (Ace pse)
- Phaeophyscia orbicularis* (Neck.) Moberg: 02 (Ace pse)
- Phlyctis argena* (Spreng.) Flot.: 01 (Abi alb, Fag syl), 02 (Abi alb, Ace pse, Fag syl)
- Physconia distorta* (With.) J.R.Laundon: 01 (Ace pse)
- \**Placynthiella icmalea* (Ach.) Coppins & P.James: 02 (Abi alb)
- Platismatia glauca* (L.) W.L.Culb. & C.F.Culb.: 01 (Fag syl), 02 (Abi alb, Fag syl)
- Protoblastenia calva* (Dicks.) Zahlbr.: 03 (cal)
- Protoparmeliopsis muralis* (Schreb.) M.Choisy: 03 (cal)
- Pseudevernia furfuracea* (L.) Zopf: 02 (Abi alb)

- Ramalina farinacea* (L.) Ach.: 01 (Ace pse, Fag syl)  
*Rinodina bischoffii* (Hepp) A.Massal.: 03 (cal)  
*Rinodina immersa* (Körb.) Zahlbr.: 03 (cal)
- Scoliciosporum umbrinum* var. *corticolum* (Anzi) Bagl. & Carestia: 02 (Abi alb)  
*Squamarina cartilaginea* (With.) P.James: 03 (cal)
- \**Toninia athallina* (Hepp) Timdal: 03 (cal)
- Verrucaria nigrescens* Pers.: 03 (cal)

## List of lichenicolous fungi

- \**Abrothallus bertianus* De Not.: 02 (teleomorph and anamorph; on *Melanelixia subaurifera*)
- \**Abrothallus parmeliarum* (Sommerf.) Arnold: 02 (only anamorph; on *Parmelia saxatilis*)
- \**Cornutispora lichenicola* D.Hawksw. & B.Sutton: 01 (on *Parmelia saxatilis*)
- \**Endococcus rugulosus* Nyl.: 03 (on *Verrucaria nigrescens*)
- Plectocarpon lichenum* (Sommerf.) D.Hawksw.: 01 (on *Lobaria pulmonaria*)
- \**Sphaerellothecium parmeliae* Diederich & Etayo: 01 (on *Parmelia saxatilis*), 02 (on *Parmelia saxatilis*, *P. sulcata*)
- Vouauxiella lichenicola* (Linds.) Petr. & Sydow: 02 (on *Lecanora chlorotera*)

## Acknowledgements

We would like to thank Matthias SCHWAHN for collecting the lichen material, Peter KOSNIK and Walter OBERMAYER for their technical support with TLC, and Josef HAFELLNER for the determination of some lichenicolous fungi. Financial support from the Austrian Science Foundation (project P20842-B16) is gratefully acknowledged.

## References

- BILOVITZ P.O. & MAYRHOFER H. 2009: A contribution to the lichenized fungi of Bosnia and Herzegovina. - *Fritschiana* (Graz) 65: 53–56.
- BILOVITZ P.O. & MAYRHOFER H. 2010: Lichenized and lichenicolous fungi from the Sutjeska National Park (Bosnia and Herzegovina), with special emphasis on the virgin forest reserve Perućica. - *Bibliotheca Lichenologica* 104: 65–76.
- BILOVITZ P.O., TÜRK R. & MAYRHOFER H. 2009: Lichens from the Una National Park (Bosnia and Herzegovina). - *Fritschiana* (Graz) 65: 47–51.

- CHRISTENSEN S.N. 1994: Lichens from Bosnia-Herzegovina. - *Nova Hedwegia* 59(3–4): 441–453.
- HAWKSWORTH D.L. 1983: A key to the lichen-forming, parasitic, parasymbiotic and saprophytic fungi occurring on lichens in the British isles. - *The Lichenologist* 15(1): 1–44.
- IHLEN P.G. & WEDIN M. 2008: An annotated key to the lichenicolous *Ascomycota* (including mitosporic morphs) of Sweden. - *Nova Hedwegia* 86(3–4): 275–365.
- NIMIS P.L. & MARTELLOS S. 2003: A second checklist of the lichens of Italy with a thesaurus of synonyms. - Museo Regionale di Scienze Naturali Saint-Pierre, Valle d'Aosta Monografie 4: 1–192.
- ORANGE A., JAMES P.W. & WHITE F.J. 2001: Microchemical methods for the identification of lichens. - British Lichen Society.
- SANTESSON R., MOBERG R., NORDIN A., TØNSBERG T. & VITIKAINEN O. 2004: Lichen-forming and lichenicolous fungi of Fennoscandia. - Uppsala: Museum of Evolution.
- WECKESSER M. & VISNJIĆ Ć. 2005: Moose und Flechten im Urwaldreservat "Ravna vala" (Bosnien-Herzegowina). - *Herzogia* 18: 223–229.
- WHITE F.J. & JAMES P.W. 1985: A new guide to microchemical techniques for the identification of lichen substances. - *Bulletin of the British Lichen Society* 57 (Suppl.): 1–41.
- WIRTH V. 1995: Flechtenflora: Bestimmung und ökologische Kennzeichnung der Flechten Südwestdeutschlands und angrenzender Gebiete. 2. Auflage. - Stuttgart: Ulmer.

# ZOBODAT - [www.zobodat.at](http://www.zobodat.at)

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Fritschiana](#)

Jahr/Year: 2010

Band/Volume: [67](#)

Autor(en)/Author(s): Bilovitz Peter Othmar, Türk Roman, Mayrhofer Helmut

Artikel/Article: [Additional lichens and some lichenicolous fungi from the Una National Park \(Bosnia and Herzegovina\) 27-32](#)